LENSES—R. & J. BECK, 68, Cornhill, London.

EDWARDS ISOCHROMATIC PLATES.

EDWARDS LANTERN PLATES.

THE OPTICAL

MAGIC LANTERN

— JOURNAL —

AND

PHOTOGRAPHIC ENLARGER.

A Magazine of Popular Science for the Lecture-room and the Domestic Circle.

Edited by J. HAY TAYLOR.

[Entered at Stationers' Hall.]

Vol. 3.—No. 42. NOV. 1, 1892. Price 1d., Post-free 2d.

PERKEN, SON & RAYMENT, 99, HATTON GARDEN, HOLBORN VIADUCT, **LONDON. 'OPTIMUS.'**

Each Magic Lantern is efficient for exhibitions. The Lens gives crisp definition, being a superior Achromatic Photographic Combination with rack and pinion. It is fitted to a telescopic lengthening tube, so gaining increased focal accommodation. The Condenser is composed of two plano-convex lenses of 4 inches diameter. The refulgent lamp has 3 wicks (or 4 wicks 2s. extra), yielding a brilliantly illuminated picture.—Each is complete in box.

"OPTIMUS" MISSION LANTERN, Japanned Metal. BEST VALUE IN THE MARKET, **25/-**

Japanned Metal 30s.



Russian Iron Body Brass Sliding Tubes, 45s.

Perforated Russian Iron Body, Brass Sliding Tubes, 50s.



Mahogany outside Body 2 Panelled Door, Brass Stages, Sliding Tubes, 82s.

LANTERN PHOTOGRAPHS, 12s. per doz.
PLAIN, 18s. 6d. per doz.
COLOURED.

CATALOGUE POST FREE.

'OPTIMUS' BI-UNIAL LANTERN FOR LIME-LIGHT

Panelled Mahogany Body, 4 doors and Moulded foot, Achromatic Photographic Front Lens, Compound Condensers Brass Stages and Sliding Tubes .. .. £8 8s.

'OPTIMUS' TRIPLE LANTERN.

The Top Lantern may be used separately with Oil Lamp. Panelled Mahogany Body, 6 doors and moulded foot, Brass Stages and Tubes, Achromatic Front Lens, Compound Condensers £14 1 0s.

THE MAGIC LANTERN: ITS CONSTRUCTION & USE. Contains complete Instructions. Cloth Covers, PRICE **6d.**



WHY does WALTER TYLER do the Largest Business and is able to Make and Sell Lanterns and Slides cheaper than any so called Manufacturers and Stores?

BECAUSE, making the Lantern and Slide business his entire occupation, he is able to produce goods of much better quality at lower prices, and it is estimated that WALTER TYLER supplies more Lantern Missions with goods than the whole of the other houses combined.

WALTER TYLER has the Largest and Best Stock of Lanterns and Slides in the world. Upwards of **200,000** Slides on *Travel, Views, Scripture, Temperance, Comic Tales, Chromotropes, Effect Slides, &c.*, which can be purchased at most moderate prices, or can be had on hire on specially low terms.

A Marvel of Cheapness, WALTER TYLER'S NEW LANTERN, with 4-inch Condenser and Combination Portrait Lens, 4-wick Paraffin Lamp, in case, complete 27s. 6d.

The Heliroscopic Lantern has **EVERY IMPROVEMENT,** and can be used either with Oil or Limelight without alteration to the Lantern; the Lenses are **WARRANTED TO BE THE VERY BEST** made; and are Portrait Combination with Double Racks and Pinions, and Tinting Fronts, all of which are carefully selected and tested. The Illuminating Power of this Lantern is of great brilliancy, almost equalling that of the Limelight. The result of these improvements is the production of an Instrument in every way superior to lanterns of other makers at a similar price.

Over 50 Heliroscopic Lanterns have been sold to one Society, and after severe competition with Sixteen Lanterns of other well-know makers, WALTER TYLER'S was pronounced to be far **SUPERIOR TO ANY.**

Large Quantities of Second-hand Lanterns and Slides. Great Bargains. Small Catalogues and Second-hand Lists Post Free.

WALTER TYLER, 48 & 50, Waterloo Rd, London, S.E.

DALLMEYER'S LENSES

Are used by all the Leading Photographers, both Amateur and Professional THROUGHOUT THE WORLD, and have obtained the

HIGHEST AWARDS WHEREVER EXHIBITED.

DALLMEYER "On the Choice and Use of Photographic Lenses." Price 1s.
New Descriptive Catalogue of Photographic Lenses & DALLMEYER'S LENSES & CONDENSERS SPECIALLY CONSTRUCTED FOR THE OPTICAL LANTERN, WILL BE POSTED FREE ON APPLICATION.

J. H. DALLMEYER, Ltd., OPTICIAN, 25, NEWMAN ST., LONDON, W.
Telegraphic and Cable Address—"DALLMEYER, LONDON."

FOR FIRST-CLASS SLIDES & COLOURING

SEND TO

FREDERICK J. STEDMAN,

DISSOLVING VIEW ARTIST,

174, *Bridge Road*, *Battersea*, *London*, *S.W.*

Slides prepared from customers' negatives, prints, photographs, etc.

Catalogue & Price List post free on Application.

PAGET PRIZE LANTERN PLATES

SLOW OR **RAPID**

for contact printing by artificial light, or for reduction in Camera by daylight. They give a range of tone from **Black** to **Red**, according to exposure and development.

Which are about six times quicker than the Slow, are for reduction in Camera by artificial light, or may be used for contact printing with very dense negatives or very short exposures. These give only black tones.

PRICE:—Either Rapidity, 3¼ in. × 3¼ in., 1/- per dozen.

WOOD'S LANTERNS AND SLIDES

ON SALE OR HIRE. 100,000 Slides to Select from.

PLAIN SLIDES, 12s. per doz.

The "EUPHANERON" LANTERN, with the four-wick W Lamp, £4 4s.
The "CHEAP" LANTERN, with 4-in. Condenser and three wick Lamp, £1 10s.
"MAGIC LANTERNS: How Made and How Used," by A. A. WOOD, post free, 1s. 2d.

Wood's New List of Slides and Lanterns. Post-free for One Stamp.

H. G. WOOD, 74, CHEAPSIDE, LONDON.
And HORNE, THORNTHWAITE & WOOD, 41, STRAND, LONDON, W.C.

THE OPTICAL

MAGIC LANTERN

JOURNAL

AND

PHOTOGRAPHIC ENLARGER.

EDITED BY J. HAY TAYLOR.

Vol. 3.—No. 42. [Entered at Stationers' Hall] NOV. 1, 1892. Price One Penny.

CONTENTS.

	PAGE
Aphengescopes	133
An Optical Theatre	134
Our Visits—Theobald & Co.	135
A Compact and Light Aluminium Lantern	136
About Oil Lamps	137
Tennysonia on the Screen	138
Portable Lime-light and Lamp	139
The Lanternist's Den.—No. 4	141
Management of Saturators	142
Lantern for General Purposes	144
Small Lantern and Dissolving Views	146
New Lantern Apparatus	148
Editorial Table	149
Correspondence—	
Electric Light for Lanterns	149
Transparent Screens	149
Careless Packing of Goods	150
Notes and Queries	150

Notices.

THE *Optical Magic Lantern Journal and Photographic Enlarger* is issued on the 1st of every month, price One Penny, and may be obtained from all Newsvendors, Railway News Stalls, Photographic Dealers, or from the Publishers, at the following rates, post free:—

	Continental.	United States.
12 months ..	1/6 .. 2/- ..	.. 60 cents.
Single copies..	-/1½ .. -/2 ..	.. 6 ,,

Advertisements (Scale of Charges), displayed:—

	£	s.	d.
Front and back pages, by arrangement.			
Ordinary page (whole)..	3	0	0
,, ,, (half)	1	15	0
,, ,, (quarter)	1	0	0
,, ,, (eighth)		10	0
,, ,, per 1 inch in column..		6	0
,, ,, ½ ,, ,, ..		3	0

Special quotations for a series.

EXCHANGE Column, General Wants, &c. (not Trade)—First 20 words, 6d.; and for every 3 additional words, 1d.

ADVERTISEMENTS must reach the office not later than the 24th of each month. All cheques and postal orders to be made payable to Taylor Brothers.

EDITORIAL communications must be addressed, J. HAY TAYLOR. Advertisements and business communications to **Taylor Brothers, 56, Chancery Lane, London, W.C.**

American Agents:—The International News Co., 83 and 85, Duane Street, New York City.

NOTICE.

MANY CORRESPONDENTS STILL FORWARD THEIR COMMUNICATIONS TO THE OLD ADDRESS. WILL THEY PLEASE NOTE THAT OUR ADDRESS IS NOW

56, CHANCERY LANE, LONDON, W.C.

Notes.

IN our first article in this issue—Aphengescopes—we answer a number of queries received upon this subject, consequently those correspondents will not find their questions alluded to in our "Notes and Queries" column. For the most part the subject of our articles is prompted by the readers themselves, and when we have a number of questions from different sources bearing upon the same subject, we endeavour to devote an article to it. Correspondents who do not find their name or *nom de plume* on the last page of the journal published after their query was sent, will understand that their question is either answered in an article in that issue or that it came too late for insertion.

* * *

PHOTOGRAPHIC apparatus is to be exhibited in connection with the Stanley Cycle Show at the Agricultural Hall, from 18th to 26th inst.

* * *

MR. D. W. NOAKES stated in an article in last issue that it was dangerous to look for a leak at oxygen cylinder with a light. Several correspondents, having called our attention to the statement as being curious, we asked Mr. Noakes to explain the subject. This he kindly offered at once to do, but unfortunately the copy came too late to be included in this issue.

* * *

THE partnership lately existing between Messrs. Mitchell & Stevens, of Glasgow, has been dissolved. The business will be carried on as before, by Mr. Mitchell, at 191, Hope Street,

whilst Mr. Stevens (Stevens Bros.) has opened premises at 33, Osborne Street, Glasgow. The Bible set of slides advertised in our columns are now published at the latter address.

* * *

On the 15th, 16th and 17th inst., the Hackney Photographic Society will hold their annual exhibition at Morley Hall, Mare Street, N.E. The exhibition will be open each day from 4 to 10 p.m., and a good round of vocal and instrumental concerts and lantern displays is promised. The admission will be 1s.

* * *

On the opening night (3rd ult.) of the Grappenhall Young Men's Guild, Mr. Thos. Fletcher, F.C.S., showed a number of scientific experiments with the lantern, including images formed on the screen by the voice (phonoscope), opaque objects, magnetic experiments, kaleidoscopic effect, and the drawing of compound geometrical figures.

* * *

A couple of months ago we stated that Mr. S. O. Lees had retired from the managing partnership of the Gas Compression Company, Manchester. We have pleasure in stating that he has commenced business on his own account at Fairfield Street, Manchester. His advertisement will be found in another column.

* * *

Messrs. Gilmer Bros., the Birmingham representatives of Clement & Gilmer, of Paris, have hitherto been located at Victoria Buildings, Temple Row, but they have lately taken new premises in Manchester Buildings, Cannon St., Birmingham, where they have a fine display of lanterns, lenses and general optical goods.

* * *

A practical class in connection with "Lantern Slides and Lantern Work," will commence at the Polytechnic Institute, Regent Street, W., on 16th inst., and be continued each Wednesday evening for three months. As the fee for the course is only half a guinea, here is a fine opportunity for our London readers to obtain practical experience under the leadership of Mr. Chas. W. Gamble.

* * *

The coming rage in lantern slides will be "Tennyson," and already Messrs. York & Son, of Notting Hill, have issued portraits of the late Lord Tennyson and of his grave at Westminster Abbey. They also have 20 slides illustrating "Enoch Arden," 11 "Dora," and 10 "May Queen." Mr. Alfred Underhill, of Croydon, is at present engaged on a set of "Tennyson" which will include portrait, residence, "Charge of the Light Brigade," "The Brook," &c.

Aphengescopes.

In the aphengescope or opaque lantern, the images are represented upon the screen by reflection, instead of, as in the case of ordinary lantern slides—by transparency.

When employing the aphengescope, a large range of objects may be exhibited.

Rays of light are collected upon the image to be projected; this may be done in a variety of ways, but the principle in each case is the same.

Great illuminating power is required, and an ordinary optical lantern, in the simple form, can be utilized for this purpose. The nozzle of a lantern, L, Fig. 1, is inserted into the side of a box M, having five sides, provided with a lens as shown; the picture being of course placed opposite the lens. Still better illumination may be obtained by using the light from two lanterns as shown in Fig. 2.



Fig. 1.

The two lanterns, L L, are turned so that they point away from the screen, and it will be observed that the box for use with two lanterns



Fig. 2.

is provided with six sides. The pictures or objects are fastened to the door D; card photographs, watches, shells, coins, and a variety of subjects will readily suggest themselves.

Fig. 3 represents a more recent form of Aphengescopic attachment, but the lantern with which it is intended to use it must be made much higher than an ordinary single lantern. This form, however, posseses advantages over

ARCHER'S LANTERN NOVELTIES.

NEW SET OF SLIDES

SLUM LIFE IN OUR GREAT CITIES.

COPYRIGHT.

Direct Photographs from Life in the Slums. Splendidly done. Complete, with Reading by the Photographers, Price 54s. the Set of 54 Slides, Now Ready. Reading alone, 6d., Post Free. Sample Slide, Post Free, 1s. 4d.

The UNILUX Bi-Unial Lantern, Two Lanterns in One (with only One Light), Now Perfected, and will be Ready for Sale Shortly, fitted with Beautiful Rolling Curtain Effect, Panoramic Form.

The "IDEAL" Lantern The Lantern of the Future, Price **£8 15/-** complete.

The "IDEAL" Dissolver. The most perfect for Single Lanterns. Price **25/-**.

New Catalogues, with Full Particulars, also many other New Slides and Apparatus, Post Free One Stamp.

ARCHER & SONS, Patentees & Manufacturers,

43 to 49, LORD STREET, LIVERPOOL. (Established 1848.)

GENERAL WANTS, &c.

LANTERN SLIDES made from Negatives, Photos, &c. Sample Slide, 9d., quantities cheaper, also printing, copying.—JONES, 11, Albion Street, Coventry.

16 FT. and 9 FT. Linen Lantern Screens, with tapes, almost new, for sale, with extra strong jointed pole frame, with strong brass tubes and corner pieces, to take either screen.—J. STEWART, 32, Boyd Street, Largs, Ayrshire.

FILMS for tracing Lantern Slides, 3¼ size, 4½d. per dozen; 3 dozen, 1/-.—PHOTO, 11, Bothwell Street, Glasgow.

LANTERN SLIDES of North and Central Wales, Ilfracombe, Malvern, Hertfordshire, Herefordshire, Bedfordshire (Bunyan Series), Tintern, Wye Series. Price 7s. per dozen. Slides made from Amateurs' own Negatives. Prizes in Competitions.—PHOTO, 11, St. Nicholas Street, Hereford.

WANTED to complete Linen Manufacture Set, Lantern Slides or Negatives of Growing Flax, Retting, and Scutching.—Ross, 6, High Street, Brechin, N.B.

WANTED, All Gentlemen associated with the Optical Lantern to Note E. Baildon, can offer his services with or without High Class Apparatus for coming Season, being actual operator can offer low Terms. Years experience, and references to gentlemen of position.—Address, 34, Phelp Street, Walworth S.E.

GAS BAGS.—10 feet Hydrogen and Oxygen Bags. Perfect. The latter, new last season, and only used twice. Also pressure boards, wrought iron retort, &c. What offers?—ARTHUR J. BRUMMITT, Banbury.

EXHIBITOR'S Lime-Light Lantern, 4-inch Condensers, Achromatic Portrait Lens, Ether Saturator, Mixed Jet, Pair Safety Valves, Tubing, Carrier, 100 Slides. £6 the lot.—LANTERN, 167, Martin Street, Sheffield.

McLELLAN'S New Catalogue of High-Class Photographic Slides. Now ready, post free.—36, St. Paul's Road, Canonbury, London.

EXPERIENCED LANTERN OPERATOR Can Accept Occasional Evening Engagements.—H., 171, Brockley Road, S.E.

FOR SALE or EXCHANGE.—Splendid New Set of 52 Photographic Slides of Derbyshire, including Buxton, Haddon, Chatsworth, Bakewell, Castletown, Hardwick Hall, by Wilson of Aberdeen.—Apply, S. FARRELL, 2, Lawton Street, Congleton.

WANTED.—Gelatine Slides for Lantern, or Gelatine Sheets.—Send a price list to S. JOHNSTON, 4, Blackfriars Street, Hereford.

150 Splendid Direct Photographs, London. By Wilson and others. Offered 9d. each, usually 1/-. Lists Free.—BAKER, 86, Fisherton Salisbury.

LANTERN SLIDES made from Negatives, Sketches, Photos, &c. 6/- per dozen, Mounted and Finished, Complete.—SKILLMAN, 22, Uxbridge Road, London.

DISSOLVING VIEWS.—Pair Superior Mahogany Lanterns for Sale, Rackwork Adjustment, Dissolver, Blow-through Jets, Strong Gas Bag, Pressure Board, Tubeing, Retort, Purifier. Packed in box, £6. A Bargain, cost £25.—K., 373, Edgware Road, Maida Vale, W.

WANTED.—Negatives to make wet-plate collodion Lantern Slides, 9/- a dozen. Also Photos, &c.—APPLEYARD, Photographer, Barmouth, N. Wales.

TRY a Wet-Plate Collodion Lantern Slide, and you will never use any other.—APPLEYARD, Photo., Barmouth, N. Wales.

RILEY'S 84/- Praestantea Lantern, with powerful 4-wick Lamp. If not sold will take 63/-, only used 4 times. A Bargain.—PETTS, Rye.

AN EXPERIENCED OPERATOR is open to accept Engagements in connection with Societies or Private Lectures or Entertainments. Has single, biunial, and triple lantern outfits. Correspondence invited.—N., 38, Marchmont Street, Russell Sq., W.C.

LANTERN SLIDES, 200. Views of Sheffield, Chatsworth, Haddon, Roche Abbey, Connisbro', &c., 6/- per dozen; also 19 Sets Life Models, comprising 300 Slides, what offers?—LANTERN, 167, Martin Street, Sheffield.

"LANTERN SLIDES" and "LANTERN WORK."

Mr. CHAS. W. GAMBLE will conduct a practical class in the manipulation of the Wet Collodion, Collodion Emulsion, and Dry-plate Processes for Lantern Slides, Copying Illustrations from Books, Mounting Slides, and the use of the Magic Lantern, at the

POLYTECHNIC INSTITUTION,

307, 309, 311, REGENT STREET, W.

ON WEDNESDAY EVENINGS, COMMENCING NOVEMBER 16th, AT 8 P.M. FEE, THREE MONTHS' COURSE, 10s. 6d.

Prospectuses post free, including particulars of 16 other practical classes by well-known Specialists in PHOTOGRAPHY.

W. WATSON & SONS, 313, High Holborn, London,

MANUFACTURERS OF HIGHEST CLASS OPTICAL & SCIENTIFIC INSTRUMENTS.

BI-UNIAL AND TRIPLE LANTERNS,

THREE AND FOUR-WICK OIL LANTERNS, of Highest Quality and Efficiency.

LANTERN TRIPODS, GAS APPARATUS, SCREENS, AND SCREEN STANDS.

AN IMMENSE STOCK OF FINEST

PHOTOGRAPHIC VIEWS,

Illustrating all parts of the World, 12/- per dozen.

SPECIAL PHOTOGRAPHIC CAMERAS;

For taking Lantern Pictures.

An Illustrated Catalogue sent free to any address on application. Ask for Lantern List.

W. WATSON & SONS, ESTABLISHED 1837.

313, HIGH HOLBORN LONDON.
9, 10, 11, 16, 17, FULWOOD'S RENTS, LONDON.
251, SWANSTON ST., MELBOURNE, AUSTRALIA.

WALTER A. GRIFFITHS & CO., Limited,

MANUFACTURERS OF THE PATENT

GUINEA DETECTIVE CAMERAS.

Lantern Slide, Enlargement, and other Cameras.

List post free on application.



21/-

Depot—5, UNION PASSAGE, BIRMINGHAM.

General Stores of Photographic Materials and Apparatus.

Works—HIGHGATE SQUARE, BIRMINGHAM.

London Show-Rooms and Agency } The FRY MANUFACTURING Co., 5, Chandos St., Strand

Wholesale Provincial Agent—W. TYLAR, 57, High Street. Aston, Birmingham

N.B.—In proof of all we say, our SALES Double Each Month.

The "CADETT" Lightening Plate

Challenges the WORLD for Speed and Quality *(See Press Opinions)*

The "Cadett" LANTERN Plate

(From Opinions of Experts) takes FRONT RANK.

AVIS

For those who want a Plate of medium Speed and Excellence of Quality, our Ordinary will be found to surpass in Sensitiveness any on the market, in fact, when compared to the intermediate makes of other brands, it is the Cheapest in the World.

CADETT & NEALL.

ASHTEAD, SURREY.

DEPOTS:

LONDON	W. WATSON & SONS, 313, High Holborn, W.C.	DUNDEE ..	G. LOWDEN, 65, Reform Street.
ABERDEEN	G. W. WILSON & CO., 35, Crown Street.	EDINBURGH	J. M. TURNBULL, 6, Rose Street.
BRADFORD	PERCY LUND & CO., 81, John Street.	GLASGOW ..	G. MASON & CO., 180, Sauchiehall Street.
BRIGHTON	HARDCASTLE & CO., 71, East Street.	JERSEY ..	J. RENOUF, Jun., 45, Don Street.
BURTON-on-TRENT	R. KEENE, 82, High St.	NEWCASTLE	F. K. HURMAN & CO., 2, St. Nicholas Buildings.
		NORWICH ..	A. E. COX, 32, London Street.

OTHER TOWNS IN FUTURE ADVERTISEMENTS.

the forms previously described, for the lantern may remain in the same position whether transparent slides or opaque objects are to be projected. When the latter are to be shown, the



Fig. 3.

lens, picture and reflector must be in the position shown in the cut, and when transparencies are to be exhibited the front containing the lens, which slides in grooves, is pushed down, and the reflector lowered, the transparency can then be placed in its usual position in front of the condenser.

Thirteen months ago we called attention to a new style of lantern, invented by M. Trouvé, and introduced by M. Molteni, of Paris. This style of lantern he terms l'Auxanoscope.



Fig. 4.

These lanterns are made in different forms, according to the purpose for which they are intended. They are all fitted with the electric incandescent light, and have been adopted by the *Ligue de l'Enseignement*, whose members use them for giving instruction in the villages. The principle in l'Auxanoscope for opaque objects, is however the same as the preceding forms. Figs. 4 & 5 show the shapes of the instrument. The incandescent light is fixed in a tube, the end of which is provided with a reflector; these are made with either one, two or three tubes and reflectors, that with the three lights being used either for opaque or transparent slides, by using the two front lights for the former, and one light placed behind for the latter.



Fig. 5.

A totally different instrument for concentrating the light upon an opaque object was devised



Fig. 6.

by Dr. Foote, Jun., of New York, and termed the Polyopticon Wonder Camera, Fig. 6. The



Fig. 7.

illuminant being an argand kerocene lamp, which gives an intense flame; this is situated in one focus of an elliptical reflector, and in the other focus is placed the picture, or object to be projected. The principle of the reflection of the light is shown in Fig. 7, A being the illuminant, C the picture, and B the lens.

—:o:—

An Optical Theatre.

We have several times spoken of an apparatus constructed by Mr. Reynaud, with the object of improving the methods of projection, and thus permit of obtaining the illusion of movement and life through optical processes.



The apparatus that produce the synthesis of the successive phases of an action, have, up to the present, all (from Plateau's phenakisticope to Reynaud's praxinoscope) been limited by their very nature to the reproduction of a motion, or at the most, of a very simple action, every rotation of the apparatus evidently being capable only of repeating the effect produced by the preceding rotation.

The object of the optical theatre is to extend the illusion to the reproduction of a large series of actions, and of thus realizing the reconstruction of an entire scene through optical synthesis.

To this effect a band of great length, carrying a large number of poses, replaces the crown of the old apparatus. In order to present the animated scenic illusion to a great number of spectators, it was necessary to give it large dimensions, which is something that can be done only by projection upon a screen.

In order to obtain such illusion under good conditions for the operators, it is necessary that the postures shall succeed each other on the screen without a break; in other words, that there shall be no extinction or eclipse between two successive postures. This continuity of the image, obtained already by the praxinoscope, invented in 1877 by Mr. Reynaud, has not, up to the present, been realized by any projecting apparatus.

The optical theatre, by its very construction, realizes it in such a way, that the succession of the postures may be interrupted at every instant, without the image ceasing to be illuminated and visible upon the screen. This

YORK'S

OPTICAL

Lanterns & Slides

FOR EDUCATIONAL PURPOSES,

Embracing every branch of Science, as well as INTERESTING AND MORAL TALES. Many of the latter are Illustrated from Life.

SOME OF OUR NEW SETS—Sydney, Rockies, France to Buda Pesth, Life of Spurgeon, Bumble's Courtship, Horatio Sparkins, &c., &c.

THIRTEEN MEDALS AWARDED FOR EXCELLENCE.

Lists for ensuing Season now ready, and may be had from all the leading Opticians, Photo Dealers and Chemists.

YORK & SON,

67, LANCASTER ROAD, NOTTING HILL,

LONDON, W.

NORTON'S

TEMPLATES for testing Lenses and securing coincidence of disks ... each 2/3

RUNNERS (adjustable) for Lantern Stages for perfect registration ... ... each 3/3

LANTERN LENSES, English make 15/- In pairs or threes of exact focus, with Interchangeable Tubes in Rack fronts 25/- & 30/-

HARD LIMES ... ... per dozen 1/8

SOFT ,, ... ,, ,, 1/2

BINDING for Slides, THRICE Coated with pure Gum ... ... 250 for 1/2

MOUNTS for Slides, per box of 12 Colours

RAPID RECTILINEAR LENSES, Best English, with Caps, Stops, Flange, &c. ¼ plate, 12/6; ½ plate, 16/6; Whole plate, 22/6

LANTERNS ADJUSTED and made to REGISTER Correctly.

ENTERTAINMENTS PROVIDED.

EFFECT SLIDES AND LANTERNS ON HIRE.

All Goods Warranted PERFECT.

TERMS—Cash only. Discount to Dealers.

All Goods Delivered FREE.

C. GOODWIN NORTON,

38, MARCHMONT ST., LONDON, W.C.

LANTERNS & SLIDES.

50 SLIDES LOANED FOR 3/-

All the best of the New Sets introduced as published; Largest Stock and safest Circulation in the world; Hires double themselves every Season; can be sent free both ways, at our risk, for 6s. 3d.

Ministers and Schools supplied on our Monthly Instalments System.

OUR IMPROVED

"PRAESTANTIA" LANTERN

Is admitted by all who have tried it the best Oil Lantern ever seen.

MARVELLOUSLY IMPROVED THIS SEASON.

Worth 20 per cent. more, Price remains the same,

£4 4s. Od.

BEST LANTERN OUTFITTERS IN THE WORLD.

Bi-unial, Tri-unial, and other Lanterns; Lantern Slides, Plain and Coloured, of unequalled quality, at the very lowest prices.

Large Catalogue, with New Supplement, 6d.; Supplements, 2d.; Operators' Guide, 1½d.; Hints for Hirers, 2d.; Hire Lists, free; Sample Pictorial Window Bills, 1d., from

RILEY BROTHERS, 5, CHEAPSIDE, BRADFORD.

"LOTHIAN" SPECIALITIES.

The "Lothian" Optical Lantern.

Unique design, for oil or lime light.

THE "TODD-FORRET" MAGNESIUM FLASH-LAMP (Patent).

Pronounced by experts to be the best in the market. Most suitable for home portraiture. Unexcelled for interiors. Improved pattern 13/- post free.

The "Lothian" Etching Plates for making Diagramatic Lantern Slides, brown, blue, and obscured, Now used by many science lecturers and others. Write for particulars.

CATALOGUE—NEW EDITION.

LANTERN SCREENS.

A SPECIAL CHEAP LINE OF THE VERY BEST QUALITY.

(For Cash ONLY with order).

Best Linen.		Best Calico.		Best quality Warranted to Wear Well.
16 feet seam in centre	65/-	16 feet, seam in centre	45/-	—
12 feet, ,, ,,	42/-	13 ,, ,, ,,	35/-	—
8 feet, seamless ..	16/6	12 ,, ,, ,,	32/- ..	21/-
		8 feet, seamless ..	13/6 ..	9/-
		6 feet ,, ..	9/- ..	6/-

OTHER SIZES KEPT—STATE REQUIREMENTS.

T. CHELLEW,

LANTERNIST,

YEOVIL, SOMERSET.

P.S.—Carriage paid to any part of the United Kingdom.

Magic Lanterns, Slides and Apparatus of Every Description.

TRADE SUPPLIED. ONE OF THE LARGEST STOCKS IN LONDON.

From the very smallest Lantern, complete with Slides, at 1/-, up to Magnificent Triples & the Most Elaborate Life Model Sets.

We have got what you want if you only knew it, only some people are so satisfied where they are dealing, that they never trouble to find out how much better they could get some things elsewhere. Every year we are making enormous progress; adding, improving and altering wherever an advantage is to be gained. We started with a 4 page list, now our Catalogue of Lanterns and Slides alone is over 300 Pages. New Catalogue of over 300 Pages, Illustrated, free, 1/. Smaller Catalogue, 200 pages, 8d. Catalogue of Lantern Apparatus and popular Slides, 100 pages, 3d., get one of these and judge for yourself.



OVER 6,000 LANTERNS & A MILLION TRANSPARENCIES KEPT IN STOCK.

What do you think of a Nickel Silver Reading Lamp, with flash shutter for 4/6. The very best Hand Painted Chromatrope Designs, by French Artists, at 2/6 per pair. A full size Russian Iron Lantern, with improved 4-wick Lamp, 4-in. Compound Condenser, Double Combination Front, with Large Aperture, and Rack Adjustment, in Case, for 60/.

THE CLIMAX BI-UNIAL LANTERN,

With Solid Brass Fronts, Rolling Curtain, Best Lenses throughout, Moulded Mahogany Body, Brass Sightholes, Brass Handles, finished in superior manner throughout.

In Case for £9 9s.

For all kinds of Apparatus, Jets, Cylinders, Screens, Boxes, Dissolvers, Regulators, &c. See our Catalogue, Special this Season.

LECTURER'S LANTERN STAND.

Very Massive. Solid Mahogany, with Sliding Legs, all takes to pieces. An ornament to the room, and simply invaluable, adjustable to any height. Perfectly rigid, 30/.

COLORED LITHOGRAPHIC SLIDES

BEAUTIFULLY FINISHED.

The newest approach to coloured Photographic Slides of anything yet made and actually mistaken by many persons for such, give a splendidly clear picture, and as now manufactured and finished by an improved process, bringing them up to the highest standard of excellence. Over 50,000 dozen of these slides sold last season. Price 4/3 per set.

Red Riding Hood, new this season, copyright; Overland Route to India, new this season, copyright; Aladdin, new this season, series No. 2, copyright; Nellie's Prayer, by G. R. Sims, new this season, copyright; Sinbad the Sailor, new this season, series No. 2; Life on Board an Ocean Palace; Modern London Views, new this season; Romeo and Juliet, new this season; Utopia, new this season, by Jerome K. Jerome, copyright; Natural History, new this season, copyright; Pilgrim's Progress, new this season; The Charge of the Light Brigade, and Life with the Colours, new this season, copyright; Natural Phenomena, showing the Wonders of Nature, new series, copyright designs; Bob the Fireman, or Life in the Red Brigade; "Cash Three," a Temperance Story, copyright designs; the Dogs and Monks of St. Bernard, copyright designs; Mischievous Tommy, or a Boy's Trouble, copyright designs; Canadian Life, Past and Present, copyright designs; Life in the Arctic Regions, new series, copyright designs; Heroes of the Victoria Cross; Heroes of the Lifeboat, copyright; Palestine, first series, copyright; the Life of Christ, second series; Robinson Crusoe, second series, copyright; Old London and Our Ancestors; The Life of Joseph; Bluebeard; John Gilpin; Life in Africa; Mother Hubbard, Pompey's Joys and Sorrows; Palestine Views, No. 2 series; Don Quixote; American Sets, Nos. 1, 2, 3, and 4; Jacky Marlingspike; Ali Baba, or the Forty Thieves; Pussy's Road to Ruin; Scenes from Pickwick; the Precocious Piggies; The Educated Cats, and how they were brought up; Punch and Judy; On the Brink, a Tale of Monte Carlo; Puss in Boots; the Pilot's Story; the House that Jack Built; Poor Jeremy; The Land of the Pigtail, or Chinese Life; the Dwarf Longnose: the Caliph Stork; Santa Claus; Cinderella, second series; Little Muck; the Phantom Ship; the Elephant's Revenge; the Tiger and the Tub; Reuben Davidger, copyright; Curfeu must not ring to-night; The Swiss Family Robinson; Bingen on the Rhine; Mottoes, series 1 and 2.

GREAT ADVANTAGES TO PURCHASERS OF THE CELEBRATED LITHOGRAPHIC LANTERN SLIDES

We now give the Complete Lecture Free in every box of these full size slides. There are not any readings, however, for the effect slides and American views.

We also publish the complete lecture book for these Lighographic Slides, bound in one volume, for 1/ post free 1/3

Photographic Slides, Plain and Coloured, in Immense Variety. Rackwork, Lever and Slipping Slides, Largest Stock in London

J. THEOBALD & CO., Wholesale Opticians,

43. FARRINGDON ROAD, LONDON, E.C.

property permits, in the representation of the animated stage, of reposes and repetitions which, at the same time, increase the truthfulness of the effect, and the duration of the scene represented. The optical theatre thus allows spectators to witness complete scenes (pantomimes, interludes, &c.), lasting from fifteen to twenty minutes, with a number of postures and a length of band that remain within practical limits. It thus produces a spectacle both interesting and amusing. Moreover, the optical theatre seems as if it will hereafter constitute the typical apparatus for the synthesis of the photographic series of successive postures, and it is doubtless in this direction that it will in the future find its principal applications, when the improvement in instantaneous apparatus, and reduction in the cost price of photogenic films, will have permitted of easily and cheaply obtaining very numerous series of each postures.

Our illustration represents the arrangement of Mr. Reynaud's new optical theatre. The crystalloid band upon which the images are painted, is represented at *a*. The operator can revolve it in one direction or the other, by means of two handles. The images, reproduced by a special process of reproduction in colours, pass before the lantern, *b*, and are projected through the intermedium of a lens, *c*, upon an inclined mirror, *m*, which projects them upon the transparent screen, *e*. Another projection lantern, *d*, causes the appearance upon the stage of the scenery amid which appear the characters, changing postures, painted upon the band, *a*. Mr. Reynaud has got up some very amusing scenes, especially the three-character pantomime entitled, "Pauvre Pierrot."—*La Nature.*

—:o:—

Our Visits.

No. 1. Chatham Pexton, See November 1891.
2. Walter Tyler, See December 1891.

No. 3. Theobald & Co.

A few days ago we called upon Messrs. Theobald & Co., at their recently acquired premises, 43, Farringdon Road, E.C., and after transacting our business, were informed that the firm turned out, what we thought was a very large number of slides per week. It was evident that Mr. Theobald thought we doubted his figures, for he said, "Just spare half an hour or so, to go over the premises, and you can see for yourself." We accepted the invitation, and commenced the round of inspection.

As we were, at the time of speaking, in the office on the first floor of the building, we decided to commence there.

Having left the office, and thus got out of reach of the eternal clicking from the typewriting that goes on in that department, our guide called our attention to some new series of slides, including Red Riding Hood, Utopia, Charge of the Light Brigade, and many others.

Mr. Theobald, pointing to a series of shelves on one side of the large room, said, "Those shelves contain between two or three million lithographic pictures for transferring to glass." Certainly the pictures were in great number, so we decided to take his word as to the number, in preference to ascertaining for ourselves. Slides of every conceivable description were present, including photos of life models, and effect slides.

The second floor is fitted, for the most part, with long benches, boxes, &c. Models, sewing machines, lanterns, slides, toys, musical instruments, and jets, were being packed by a small army of women preparatory to being sent away.

Ascending still higher, we entered the next floor, which is at the top of the building, this floor is of greater interest than either of the previous ones, for here the transferring and mounting of slides was being done by a large staff. As water plays an important part in this department, many of the tables were provided with a gutter immediately below the edges of the sides. Going down one side of the room we observed a very interesting division of labour.

The glasses having been washed, were passed on to the next table, when they were polished with paper, and racked up; these racks, as soon as full, were passed to the next table, which had large vessels containing what appeared to be gelatine.

The chromo transfer backed with paper, was, after being coated from this vessel, stuck on the glasses and placed in a rack; these, as soon as dry, were passed on to the next table and immersed in water. After soaking for about five minutes, the paper backing was detached, and the slide again placed in a rack to dry. At the next table, a cover glass was placed upon each picture, and the binding strip gummed on the edge. Every now and again the pile of finished slides was taken away to the sorting department, boxed, labelled, and stored along the sides of the room, to eventually be placed in the lift, which conveys them to the packing room, and thence to the basement. We were informed that a consignment of 200 gross of assorted sizes of glass for slides, was delivered each week throughout the year. The show room is situated on the ground floor—one portion is devoted to scientific toys, another to lantern apparatus, cameras, and lenses. We saw a new lantern stand, which has just been brought out; this is not unlike a

heavy camera tripod, only it is supplied with four adjustable legs, instead of three. We took a look at the basement, which contained numbers of large packing cases.

Before leaving, we were told that if any of our friends would like to see what we had seen, they were at liberty to call by appointment.

—:o:—

A Compact and Light Aluminium Lantern.

By Commander C. E. Gladstone, R. N.

A certain amount of experience in working a commercial lantern of the usual form, gradually convinced me that various modifications might be made, which, whilst in no way interfering with its general efficiency, would effect a considerable saving of weight. I had, moreover, become quite convinced, not at all gradually, that driving about in a hansom cab on a winter's night, with the doors open, was an exceedingly disagreeable occupation, and that it was quite necessary to get out some kind of a lantern, which should be of such a shape when packed up, as to admit of its being put inside a hansom, and still leave room for me when the doors were shut. The principal points, therefore, that were borne in mind when designing this new lantern, were as follows:—

1. To save weight, at the same time keeping the body of the lantern of the usual size and form, so as to enable it to be used with any jet, or with an oil lamp.

2. To provide a better fitting for carrying the lens, so as to avoid the great strain and leverage which comes on the front of the lantern when a heavy lens of long focus is used.

3. To provide a better arrangement for holding the slide carrier than the usual springs.

4. To stow the whole away in a flat box instead of a deep one, to facilitate carrying in the hand.

The saving in weight is effected chiefly by making the whole of aluminium, except certain working parts which it was thought desirable to leave in brass, partly by substituting a curtain for the massive arrangement of wood and iron, which usually forms the body of the lantern, and partly by replacing the brass tube and lens mount in front by a camera bellows.

The whole of the woodwork surrounding the condenser, together with whatever ornamental and weighty brass work there was attached to it, is done away with, and two thin plates of aluminium, *aa*, substituted, having the proper holes cut to receive the condenser, which is a crown doublet of 4½ inches diameter, designed by Mr. E. M. Nelson, and which was found, after practical comparison with several other condensers of different focus, to give the best



results. The arrangement for holding the slide carrier consists of a plate of aluminium, *b*, which binds the carrier against the plate carrying the condenser by means of two screws, *ss*. The carrier is thus rigidly fixed, and cannot move or slip. Any kind of carrier can be used. The centre of the plate is of course cut out to allow the light to pass from the condenser to the lens. The lens, *l*, which is a Ross 3a, of 9¼ in. equivalent focus, and 3¼ in. diameter, is mounted in a perfectly plain tube, the rack and pinion being transferred from the lens tube to the saddle, *c*, which carries the lens. This saddle is of aluminium, and works in two grooves fixed to the front board of the lantern, with a rack and pinion, in a similar manner to the mechanical stage of a microscope. The lens is simply placed in the saddle, and held there by a clamping screw, an arrangement

G. W. WILSON & CO.,

2, ST SWITHIN STREET, ABERDEEN.

Will be glad to send post free, their

NEW CATALOGUE OF LANTERN SLIDES.

SEND FOR SAMPLES OF

WORMALD'S

Mathematically, Centrally, Truly, and Smoothly Cut

STEREOSCOPIC AND LANTERN SLIDE MASKS.

AND BINDING STRIPS

WORMALD & CO., Sutton, Surrey.

Send for Prospectus of Wormald's Lantern Slide Printing Frame, and other Novelties.

DARLINGTON'S HAND-BOOKS TO NORTH WALES

With Maps by John Bartholomew, F.R.G.S., and Messrs. W. & A. K. Johnston.

Crown 8vo., Extensively Illustrated. Full Lists on Application.

DARLINGTON'S NATURALIST SERIES.

The Birds, Wild Flowers, Ferns, Mosses & Grasses of N. Wales.

By Ralph Darlington, F.R.G.S., F.R.B.S., F.R.H.S.

Full Lists of Press Opinions on Application.

LLANGOLLEN: R. DARLINGTON & CO.

LONDON: SUTTON, DROWLEY & CO.; W. H. SMITH & SON, Railway Bookstalls and all Booksellers.

OPTICAL LANTERN LECTURES,

By RALPH DARLINGTON, F.R.G.S.

My Travels in Egypt and Experiences on the Nile—150 Slides.
My Travels in Greece, Turkey and Asia Minor—100 Slides.
Across North Africa—90 Slides.
Pompeii: Past and Present, and the Bay of Naples—80 Slides
The Sights of Rome—50 Slides.
Picturesque Italy: Past and Present—100 Slides.

Prospectuses and Terms on Application.

R. DARLINGTON, Greenbys, Llangollen, North Wales.

WET COLLODION.

Lantern Slides from Engravings, Photos, or Negatives.

Terms on application.

JAMES W. GARBUTT,

Lantern Slide Maker and Colourist,

21, Waverley Terrace, Leopold Street, Leeds.

BAMBOO SCREEN ELEVATORS.

Cheyney's "Nousay" Portable Stands are the Cheapest and Best for Dissolving Views, Magic Lanterns, Flash Lights, Studio Backgrounds, Signaling Lanterns, Cameras, &c., &c. Thousands have been sold. Made in all sizes for the Wholesale, Retail, and Export Trade. New Price List of Novelties, &c., will be ready early in November, and sent post free. Silver Medal Awarded New Inventions Exhibition, 1885. Inventions worked out. Terms moderate.

CHENEY,

Bamboozola and Cedar Villa, Beckenham, England.

LANTERN SLIDES FROM

G. WEST & SON'S

WELL KNOWN MARINE SUBJECTS.

NEW STUDIES FOR 1892—3.

A series of slides, interior and exterior, of

H.M.S. ROYAL SOVEREIGN,

Launched by H.M. the Queen. The most wonderful Battle Ship in the World.

A series of fine studies of the

NORTH SEA FISHERIES,

Taken by G. WEST & SON when on a visit to the North Sea in March, 1892.

Other series:—Yacht Racing Scenes, H.M. Ships of War, Torpedo Warfare, Sailor Life Ashore and Afloat, Lord Nelson and H.M.S. Victory, Cruise of the Albecore, &c., &c., &c.

Over 40 Medals have been awarded to G. West & Son for their Marine Studies. Catalogues Post Free.

G. WEST & SON, Photographers, Southsea.

W. BUTCHER & SON'S

"REFLECTOSCOPE"

Patent Applied for.

PRICE 18/6

For the Table Exhibition and Examination of Lantern Slides.

Invaluable to Lantern Slide Makers, for judging the density and tone of transparencies before binding into Slides.

Just the thing for a Present for your Photographic & Lantern Friends.

THE COMBINATION

COVER GLASS & SPOT BINDER

FOR MOUNTING LANTERN SLIDES.

(REGISTERED.



Best Selected Thin Glass and Gummed Binders.

MAKES THE NEATEST SLIDE POSSIBLE.

PRICE 1/- PER BOX.

Full Lantern Catalogues Free on Application.

Sole Manufacturers and Proprietors:

W. BUTCHER & SON, Photographic Material Dealers, **BLACKHEATH, LONDON, S.E.**

JAMES LANCASTER & SON, Opticians, BIRMINGHAM.

The Largest Makers of Photographic Apparatus in the World. Upwards of 75,000 Cameras Sold.

The 1891 "Le Merveilleux" (Patent).
¼-pl 21/- ½-pl 42/- ¼-pl 68/-

The 1891 "Le Meritoire" (Patent).
½-pl 63/- ¼-pl 90/-



The 1891 "Instantograph" (Patent).
¼-pl 42/- ½-pl 84/- ¼-pl 126/-

The 1891 "Special Instantograph" (Patent). Brass-bound.
¼-pl 50/- ½-pl 100/- ¼-pl 150/-



The 1891 "International" (Patent).
¼-pl 50/- ½-pl 100/- ¼-pl 150/-

The 1891 "Special" Camera (Patent). No Lens or Stand.
½-pl 50/- ½-pl 80/- ¼-pl 105/-

The 1891 "Ladies'" Camera (Patent).
½-pl 35/- ½-pl 60/- ¼-pl 85/-

Lancaster's Lantern Slide "Multum-in-Parvo."
Camera, Slide, Lens and Shutter. ½-pl 21/-



The 1891 "Extra Special First Quality Complete Set
¼-pl 168/- ½-pl 252/- ¼-pl 336/-

Lancaster's Combination "Multum-in-Parvo."
For Enlarging and Reducing.
½-pl 35/- 10 x 8 42/- 12 x 10 50/- 15 x 12 63/-
18 x 16 105/- 24 x 20 126/-



The "Lancaster" First Quality Enlarging Lantern.

With 6in. Condensers	...	1st quality	126/-
,, 7in.	,,	... ,,	168/-
,, 8in.	,,	... ,,	189/-
,, 9in.	,,	... ,,	210/-
,, 10in.		... ,,	252/-

FIFTIETH THOUSAND.

"HOW TO BE A SUCCESSFUL AMATEUR PHOTOGRAPHER."

By W. J. LANCASTER, F.C.S., etc.

POST FREE, ONE SHILLING.

Fully Illustrated and Descriptive Catalogue of

PHOTOGRAPHIC APPARATUS

POST FREE, FOURPENCE.

Ditto of LANTERNS, etc., THREEPENCE

The "Lancaster" Enlarging Lantern.
With 5in. Condensers, etc. 63/-
,, 6in. ,, 84/-



Lancaster's "Hiero" Washer.
For Negatives or Prints.
For 1 doz. ½-pl 5/- ½-pl 7/6 ¼-pl 10/6



Lancaster's Amateur Enlarging and Home Lantern.
With 4in. Condensers, Achromatic Front
3-Wick Lamp etc. .. 42/-



Lancaster's First Quality Tri-unial Lantern.
Price Complete ... £17 10s.
Cheaper Form ... £8 8s.



The "Excelsior" Lantern
With 4in. Condensers, Best Achro. Front, 4-wick Lamp, etc. .. 63/-

Lancaster's New "Rubralux" Lamp. (Patent).
Can be used as a White, Yellow, Ruby, or Deep Ruby Light 7/6
Larger Lamp, 10/6

commonly adopted for securing telescopes to their mounts. The bellows connecting the lens to the lantern body, are fixed permanently to the plate which holds the slide carrier, and the other end clips over the lens tube with an india-rubber ring. When packed, the lens and saddle are removed, and fit into their own places in the box.

The curtain surrounding the jet is hung from an aluminium rod, which slides into two sockets, which also serve the purpose of securing the two main plates of the lantern rigidly together. The curtain is of black cloth, treated with tungstate of soda, and lined with asbestos cloth. It never gets more than moderately warm when the lantern is in use. The top is of Russian iron, and when packed is half-an-inch deep. For stowing away, the tailborad, *d*, and front-board, *e* (which is only a strip of wood 3 inches wide and half-an-inch thick) of the lantern fold up, and the lantern body then occupies a space



of 9¼ in. × 7 in. × 4½ in. It fits into its own place in the box, and the curtain and the curtain rod lie on the top of it. The lens and glass screen for protecting the condenser occupy another partition; the jet, slide carrier, and tubing, another; the iron top another, together with two regulators (or one regulator and a spirit reservoir if the oxy-calcium jet is used), and the lens saddle. The whole of the parts pack into a box 16½ in. × 11½ in. × 4½ in. The old box was nearly twice the width, and certainly more than twice as awkward to carry.

I observed at the commencement, that one of the points kept in view in designing the lantern was, that it should be capable of taking any jet or an oil lamp. This is the case, and it will take either a mixed, blow-through, or an oxy-calcium spirit jet, the only alterations necessary in my old jets being, that the position of the attachments had to be slightly altered to enable them to fit the new jet tray. It will also take an oil lamp, though of course I do not mean to say that every oil lamp in the market will fit straight away, without any alterations whatever. What I do mean, is, that the space allowed for the lamp or jet, is practically the same as in an ordinary commercial lantern.

The following table will show what has been gained in the matter of weight and portability.

	Old.	New.	Difference.
	lbs. oz.	lbs. oz.	lbs. oz.
Lantern body (with top)	12 2	4 1¼	8 0¾
Condenser	2 8	1 12	0 12
Lens	4 9½	2 1½	2 8
Jet (mixed)	1 13½	1 12½	0 1
Jet tray	2 0¾	0 8¾	1 8
Slide carrier	0 7	0 7	—
Box	11 4	7 8	4 12
Total	34 12¾	17 3	17 9¾
Cubical contents of box, outside	2634 ins.	1188 ins.	1438 ins.

About Oil Lamps.

By Flashlight.

When purchasing an oil lantern, *don't* be misled by tempting statements about marvellous illuminating power of lamps, but *see* the apparatus tried practically against a known standard lamp. *Don't* purchase an apparatus because it is low priced only, for no matter how largely a certain pattern may be manufactured, there is a point below which it is false economy to go, as "bushel basket" optical work cannot be produced sufficiently good if rejections do not take place, and then the price must be greater than if "all" made are sold—with or without fault, as the case may be. As regards multiplex lamps, there is as much difference between lamps having the same number of wicks, say for instance three, as there is between the proverbial chalk and cheese. Then, again, some three-wick lamps are far better than four, and in fact, at a recent trial, it was found, using the same oil for each, a triple 1½ inch-wick lamp could not be beaten

by any four-wick lamp (patent or otherwise) in the market, and it had the great advantage of not requiring so much attention or delicate manipulation of the chimney for draught way, and wicks for height of flame. It confirms what I maintained, after a trial some years' since, that the triple-wick lamp, with a hood opening at the side and parallel 1½ inch-wicks, is the best "all round" lamp in the market, and gives the best light and flame for projection of photographs with an oil lantern.

If a lantern is only required for the oil light, having of necessity a large area of illumination, the condensers must be of short focus so as to collect all the rays possible, and the objective should be from five to seven equivalent focus, according to the distance it is desired to place the apparatus from the screen to get the required picture. One of 6 inches focus is generally found very satisfactory, for it must be borne in mind, that except for special work, long focus objectives are not recommended for oil lanterns.

A very large area of flame, although as an initial illumination giving more light, does not of necessity give more for projection purposes, for the number of rays cannot be satisfactorily collected by the condenser.

No doubt the kind of oil used makes a lot of difference to the quality of light and its intensity, and lanternists cannot be too careful to ask for the best mineral oil, not only on these grounds, but also for the absence of smell and its safety in use.

The heat generated by multiplex wick lamps is such, that beyond three they are very uncomfortable to use, unless perfectly constructed to ensure perfect combustion. The lanterns must be well ventilated—in fact many lanterns have not sufficient thought expended on their design or construction to give the best effect with the minimum of heat.

The lime-light, with compressed gas in cylinders, and the incandescent electric light, are so clean in their working, and so convenient, that it will not be many years before the paraffin oil lanterns of to-day are consigned to "limbo," with their predecessors the colza and sperm oil "phantasmagoria" lanterns.

—:o:—

Tennysonia on the Screen.

By Harry Wheeler, B.A.

On the 9th day of June, 1870, I wended my way Citywards to hear George Grossmith, the elder, deliver a lecture on "Charles Dickens as a Humourist." I wondered, however, as I went, whether the subject would not be altered, for it so happened, "Dickens," had died that very day. He and Grossmith were closely associated. When young men they had sat, side by side, in the House of Commons as shorthand writers. In after life, Dickens became the literary light of the century, and Grossmith has proved himself, over and over again, to have been the best delineator of the great writer's characters that has been known.

In fancy, I can now see him, as on that memorable night, step upon the platform displaying the only sign of mourning a professional lecturer can well display, a black tie instead of a white one, black studs in place of gold, black watered silk ribbon falling across the white front, and holding the eyeglasses he occasionally used.

Grossmith on that occasion was deeply affected, especially during the introductory paragraphs of his address. Handkerchiefs were freely used, as he referred in tender and pathetic language to the loss of his old fellow student in literature. That night I think he lectured better than ever in his life. "Could I consult my dead friend," he said, "whether I should or no deliver this lecture, I know what his reply would be, therefore it is my intention to complete my engagement, although the management kindly offered to release me."

I laughed till I cried, as did scores of others round me, at the artist's drollery; and all the while the nation was in tears at the loss of one of her brightest sons. Perhaps the general feeling at the loss of a great and popular man, has not been equalled from the 9th of June, 1870, until the 6th of October, 1892, on which latter date, "all sorts and conditions of men" were awakened to the fact that Tennyson, the Laureate King, lay dead.

The poet's description of the passing of Arthur (one of the Knights of the 'round table), serves as a graphic and truthful programme of his own passing; and no pen or power, can paint so faithfully as his has, a truer ending to a useful life.

As a reader of *The Optical Magic Lantern Journal* from the beginning, I naturally take a deep interest in all lantern matters. Lanternists, like lovers of other studies, have their strong points and their weak points. Tom takes an interest in the illuminating properties of his light, while Jack's *forte* is spouting. Joe considers the chief thing for the success of *his* show, is the perfect colouring of the photographs, aad Aunt Demi-Semi, professor of music, maintains that each, and all, are flat, very flat, unless accompanied by some musical friend of ability. But the literary part of a



ROBERT H. CLARK'S

PRICE
23/6

"SPECIAL" LANTERN.

To burn Paraffin, or any Mineral Oil, or Lime-Light, can be added without alteration to the Lantern.

The "Special" Lantern has a japanned body with dome-shaped top, spring slide holder, japanned sliding tubes, with brass O.G. It has a 4 inch plano-convex compound condenser in brass cell, and double combination achromatic front lens, with rack and pinion adjustment, and has a sliding shutter or flasher.

Price complete, with 3 (1¼ in.) wick lamp.. 23/6
" " " 4 (1½ in.) " " .. 25/-
" " " 4 (2 in.) " " .. 26/6

A Splendid Collection of Photographic Slides, Plain, 6d., Hand-painted, 1/- each.

This Series includes—Bible Pictures, Temperance Stories, Humorous Sets, Scenery, Portraits, Statuary, Hymns, &c.

CHROMO-LITHO SLIDES, SPLENDIDLY COLOURED.

Each Set contains 12 Slides (3¼ × 3¼), and is packed in neat box. Prices 4/3 per Set; 3 Sets for 12/-. 6 Sets for 23/-, or 12 Sets for 45/-.

A Copy of the readings free with each Set of Slides.

Life of Christ, 2 Sets.
Parable of the Prodigal Son.
The Pilgrim's Progress.
The Calculating Cobbler.
Overland Route to India, 2 Sets.
The Emigrant's Voyage.
The Arctic Expedition.
Continental Views.
Views of London, 2 Sets.
Natural History, 2 Sets.
Natural Phenomena, 2 Sets.
Fun's Edition of the Poets.
Red Riding Hood.
Elephant's Revenge.
Tiger and Tub.
Swiss Family Robinson.
Reuben Davidger.
Mischievous Tommy.

Blue Beard.
John Gilpin.
Dick Whittington.
Mother Hubbard.
Pompey's Joys and Sorrows.
Jackdaw of Rheims.
Robinson Crusoe, 2 Sets.
Jack and the Beanstalk.
Aladdin, or the Wonderful Lamp, 2 Sets.
Sinbad the Sailor.
Cinderella, 2 Sets.
Jack the Giant Killer.
Gulliver's Travels.
Life of Joseph.
Views of Palestine.
Nellie's Prayer.
Cash Three (Temperance).

Life in Africa.
Santa Claus.
Bingen on the Rhine.
Precocious Piggies.
The Pilot's Story.
Jacky Marlinspike.
The Educated Cats.
House that Jack Built.
Ali Baba.
Punch and Judy.
Poor Jerimi.
Curfew must not ring to-night.
Bob the Fireman.
Dogs and Monks of St. Bernard.
Life in the Arctic Region.
Canadian Life.
Old London and Our Ancestors.
Life on Board an Ocean Palace.

Romeo and Juliet.
Life with the Colours.
Victoria Cross Heroes.
Lifeboat Heroes.
Utopia.
Pussy's Road to Ruin.
On the Brink: a Tale of Monte Carlo.
Chinese Life.
Scenes from Pickwick, &c.
Puss in Boots.
The Dwarf Longnose.
The Caliph Stork.
Little Muck: or, The Wonderful Shoes.
The Phantom Ship.
Effect Slides, 3 Sets.

Lecture Books, containing Reading for the Chromo-Litho Slides, price 10d., or post free 1/-.

Special Sets of Chromo-Litho Slides, Celebrated American Views, &c, price 3/- per Set, or 4 Sets for 11/-. New Sets, containing 8 Slides, price 2/- per Set, or 4 Sets for 7/6. New Sets of 48 Slides, illustrating The Life of Frederick the Great; and the Emperor William I., price 11/- per Set, or the 2 Sets for 20/-.

Full Size Changing Comic Slipping Slides in mahogany frames, 6/6 doz. Lever-action Slides from 1/6 each. Rackwork (including chromatropes), 2/6 each. Best quality double motion Interchangeable Chromatropes, price 4/3. Extra Discs from 9d. per pair.

The New "Lightning" double carrier frame 1/3, or post free 1/6. Lecturer's Reading Lamp, with flash shutter, showing Red Light Signal, price 2/6, carriage paid 3/-.

Small Magic Lanterns to burn Mineral (Paraffin) Oil, from 1/-. Slides from 5d. doz.

New and Enlarged Catalogue, with many reductions in price, gratis and post free, on application to—

ROBERT H. CLARK, WHOLESALE OPTICIAN, ROYSTON, HERTS.

THOMAS'S

"PALL MALL"

LANTERN PLATES

Are UNAPPROACHED and UNAPPROACHABLE

By any other Brand, in spite of the Ceaseless Efforts of Numerous Imitators.

These are merely demonstrating the accuracy of the truism: "Imitation is the sincerest form of flattery."

THE PLATES COMBINE, WITH THE CHROMATIC APTITUDE OF SILVER CHLORIDE, THE BRILLIANCY OF IODIDE, AND THE DELICACY OF BROMIDE.

They consist of the most perfect Emulsion on the thinnest selected glass, at the original price:—
$3\frac{1}{4} \times 3\frac{1}{4}$ in. and $8\frac{1}{2} \times 8\frac{1}{2}$ cm., 1/- per doz.

TO BE OBTAINED OF ALL DEALERS, OR AT OUR CENTRAL DEPOT.

R. W. THOMAS & CO., Ltd., 10, Pall Mall, LONDON, S.W.

TELEGRAMS, "RUHTRA, LONDON." TELEPHONE NOS. 35037, 9365.

THE THREE GREATEST NOVELTIES FOR THE LANTERN SEASON 1892-3.

BI-TRI-SINGLE LANTERN

PROV. PATENT 16477,

As this name implies, so is the construction of the Lantern. Without inconvenience or delay the Triunial can be transformed into either a Bi-unial Lantern, or a pair Single Lanterns for dissolving purposes, or a single Lantern. The base being loose, is detachable from the Lanterns by means of a catch. This catch also binds the various parts of the Lantern together, as seen in sketch.

The principal advantages and novel features of this modern combination is the form of working the Brass Fronts upon a central swing, thereby greatly facilitating the adjustment of the discs.

PRICES:

		£	s.	d.
Tri-unial	With one Base-board and 1 Dome Top.	17	10	0
Bi-unial		12	0	0
Single		6	10	0

THE "FLYING" CARRIER OR LANTERN SLIDE HOLDER.



LEVIATHAN

PROV. PATENT 16177.

As used by all the principal Lecture Societies and Lecturers throughout the Kingdom.

THIS LANTERN SLIDE HOLDER has been introduced to meet the demand for a low-price **automatic carrier**, giving every facility for changing the slides when operating, without the necessity of using both hands, which is the usual fault with all previously introduced.

PRICE 3/6.

Complete in Box with Full Instructions.

HOW BILL ADAMS WON THE BATTLE ON WATERLOO

(COPYRIGHT.)

The Most Humorous and Interesting Set ever Introduced.

Represented in 13 Slides.

BEST QUALITY COLOURING, AND FULL LECTURE,

PRICE 30/-

THE TRADE ONLY SUPPLIED BY THE SOLE WHOLESALE AGENTS—

JOS. LEVI & CO., 40, Furnival St., Holborn, London, E.C.

lantern exhibition surely should take a box (not a back) seat.

A portrait picture of Tennyson will find its way to nearly every lanternist's screen this winter, but they would do well not to let their interest stop there. The Poet has furnished us with hundreds of poetical gems, that I hope will not escape the attention of the hand-camerist. I say hand-camera, because there are such a variety of Nature's pictures, ready worded in the volumes, that if carefully thought out, and worked out, would make a perfect whole, so perfect indeed in perspective, that I doubt whether anything can at present be found to approach them. One can understand that certain subjects are not commercial successes, consequently the business man looks ahead, before he takes his leap. But it is not because this or that, is not to be found in a certain vendor's catalogues, that it is not worthy a place there.

I hear a dissentient saying, "Oh! but we've plenty of Tennyson already; I've only to send to so-and-so, for such and such a set, and they are sent me the same day." "Have you?" I am inclined, kind reader, to the belief that you can count them on the fingers of your hands, as you can those of Dickens or Longfellow.

Look for a moment into early poems, "Lillian," and if you have a pretty sister, ask her to dress carelessly and poise as Lilian. One good picture would suffice, two perhaps would be better, while you in a very short time get the thirty lines to memory. "The Lady of Shalot," is another short bit, that with a little thought could be made much of. "The Deserted House," "The Merman," and "The Mermaid," each might be treated to a slide or two.

In the English Idylls, are many choice poems. Read "The Sisters," truly a fine dramatic piece, with but six short verses; but they each mean so much. But take a poem, reading about ten minutes, of which there are many, and for our illustration we select the "Grandmother," which contains twenty-seven verses. Ten or twelve pictures and a bi-unial will give the desired effects:—Slide 1, "And Willie my Eldest Born," is an interior; old lady seated in armchair in conversation with her grandchild. Slide 2, verse 3, "Here's a leg for a babe of a week," interior, nurse holding baby surrounded by three or four others, with doctor in centre laughing. In verse 4, repeat No. 1, cue, "I cannot cry for him." Slide 3, verse 6, "I remember a quarrel I had," a garden scene with young man and woman in foreground, having a lovers' altercation. Slide 4, verse 8, "And the parson made it his text that week," exterior of village church, in Summer. Slide 5, verse 9, "And Willie had not been down," farmyard scene. Slide 6, verse 10, "The moon like a rick on fire," farmyard scene by moonlight. Verse 12, repeat No. 3, cue, "Let us part." Slide 7, verse 14, "He turn'd and claspt me," farmyard by moonlight, with lovers in foreground. Verse 15, repeat No. 1, cue, "He gave the ringers a crown." Slide 8, verse 18, "But he cheer'd me," domestic interior. Slide 9, verse 20, "Pattering over the boards," interior, with three or four figures, and child in foreground. Slide 10, verse 21, "And Harry and Charlie," meadow with men ploughing. Verse 22, cue, "Willie my eldest born," repeat No. 1. Slide 11, verse 27, "Get me my glasses, Annie," same as No. 1, but with child putting spectacles on old lady's face.

In Tennyson's works the lanternist will find couplets and snatches of song, to trim and give flavour to his lecture, let his subject be what it may. An example from my tour through the Highlands, will be a fitting close to this article. Scene, "The Hermitage and Bridge," Wilson's series.

"Flower in the crannied wall,
I pluck you out of the crannies;
Hold you here, root and all, in my hand.
Little flower—but if I could understand
What you are, root and all, and all in all,
I should know what God and man is."

—:o:—

Portable Limelight and Lamp.

To our English readers the two illustrations herewith will appear quite novel in the way of lantern outfits, and certainly, for that matter, we might perhaps say, most of our foreign readers also.

At first appearance this outfit has quite a bewildering aspect, but when understood, it will generally be considered a most ingenious and useful apparatus.

This portable outfit has just been introduced by the McIntosh Battery and Optical Co., 141, and 143, Wabash Avenue, Chicago, U.S.A.

The principle involved is the heating of small portions of the chemicals as the operator sees his need of gas. The gas, as made, is carried into a small equalizing or regulating bag, so that the supply is constant, and is maintained at a steady pressure.

In order that only a portion of the chemicals may be heated at once, the retort, R, is made of poor heat-conducting material—tin; it is two inches in diameter and twenty-six inches in length. The oxygen regulating bag, B, is of

strong rubber-cloth, two feet in length, eleven inches in diameter when filled, and holds about ten minutes' supply of gas.

The equalizing pressure is obtained by several strong rubber bands, which close the bag, and tend to keep it closed. As the bag fills, and the outward pressure surface becomes greater, the tension of the stretching rubber bands increases in about the same ratio. This gas-making apparatus is so arranged, that it becomes the framework of the lantern. The wash bottle, W, and the bag, can be packed in a very small compass, and the entire outfit can easily be carried in one hand. The expense of operating, both in time and money, is very small, the gasoline cost hardly more than one half-penny an evening. The cost of the oxygen varies with the price of chemicals, some two pounds and a half being



used. None is ever wasted. Ten minutes is all the time required, from the unstrapping of the packing case, to the lighting of the jet. The cleaning up and recharging can be done at any time, and will take fifteen or twenty minutes. The tank is very strong and air-tight, and holds only about 16 ounces at the most. There is only a cubic inch or so of gas at any time, and no chance of an explosive mixture. In the oxygen manufacture the only point of activity at any one time, is an inch in length of the two-inch tin retort.

DIRECTIONS FOR MANAGING THE PORTABLE LIME-LIGHT AND LANTERN.

Fill gasoline tank E with 16 ounces high-grade gasoline, not less than 80° flash test. To fill E, you unscrew FF (F screws into FF) entirely, and use a small funnel; 16 ounces fills E about three-quarters full. Replace F F, screwing it down firmly, and if a little hard soap be smeared over the faces of the union, a perfectly gas-tight joint will be made.

Loosen F, and pump in a pressure with hand bulb pump A, by squeezing it firmly half a dozen times; then close F.

From time from time during the evening pump in a pressure.

Charge retort R, with a single package of chemicals, each package containing 32 ounces of potassium chlorate, and 8 ounces manganese binoxide, thoroughly mixed.

Fill wash bottle W, through X, with 4 ounces water, in which one-half teaspoonful of caustic soda, or potash, or common "sal soda," has been dissolved. This alkali purifies the oxygen, takes up the chlorine, and renders the oxygen sweet and almost pure enough to breathe.

Connect T to X, Y to G, *l l*, Z to V, and *l* to B, with pieces of rubber tube.

Open valves J, and allow generator cup, to be filled with liquid gasoline; then close J, and light under *r*. This should burn like an ordinary gasoline stove, and furnishes heat not only for generating oxygen, but also converts the liquid gasoline into gas, forcing it up through *i*, where it is admitted to mixing chamber Q, through valve K.

Secure retort R in place.

Put a lime in lime-holder in *g*, about $\frac{1}{8}$ of an inch from nipple.

STOCKS' PATENT
OIL LAMP FOR OPTICAL LANTERNS.



This Lamp gives a **magnificent white light**, and is acknowledged to be far superior to any other lamp.

By an ingenious arrangement the side projecting plates are so constructed that the light is condensed and placed **more advantageously** towards the condensers and reflector than in any other lamp.

The draught can be accurately regulated by means of the rack and pinion on the chimney.

The Reflector works on an **entirely new principle**, and can be placed exactly in focus with the condensers, and as it is outside the combustion chamber is not liable to become discolored when in use.

The Lamp can be **successfully used** in rooms which become vitiated with impure air where other lamps smoke or fail to burn.

The Perforated Screen adds to the steadiness of the flame by breaking up the current of air as it enters the back of the Lantern.

The heat of the Lamp never causes the glass plates to crack.

The Lamp is admirably adapted for nse in **enlarging Lanterns**, by placing a piece of finely ground glass close to the front glass of Lamp.

Can be fitted to any Lantern in the place of ordinary lamp.

Full instructions containing practical hints sent with each Lamp.

Lamp has four 1⅛ inch wicks.

Price 28/-

Thin Glass Plates for front of Lamp, price **6d.** each. Mica Plates for back of Lamp, price **9d.** each.

CAN BE OBTAINED THROUGH ALL DEALERS IN LANTERNS AND SLIDES.

CHAD



THE "PERFECT" OPTICAL LANTERN.

4½ in. Triple Condenser and Interchangeable Objectives of various foci. Supplied to the British and Foreign Governments, Universities, Colleges, Private Lecturers, &c., &c.



"Perfect" Optical Lantern and L

Lantern Microscope and Polarisc

At Less Price than Inferior Bi-unial Lanter



CHADWICK'S

TRIPLE CONDENSERS.

Send for Pamphlet on the advantages of Triple Condensers.

E. Disc of Thin Glass—a protection against heat. In case of accident, as for instance, the flame shooting forward, caused by inattention to the turning of the lime, this glass can be renewed at a trivial cost, but if the fracture be a single crack right across, it may not be necessary to replace it.

D. Air Space (air being a bad conductor of heat).

C. Miniscus Collecting Lens.

PRICES:—

4 in. Diameter	£1	5	0
4½ in. ,, ...	1	10	0
5 in. ,, ...	2	5	0

CHADWICK'



TRA

With Support and Water

Send f

W. I. CHADWICK, 2, St. M

WICK



's **The Chadwick "No. 2" Optical Lantern.**

4½ in. Triple Condenser, Interchangeable Objectives of various foci, and Perfect Mechanical Stage.

For Jet, Cabinet, &c. ... £6 10 0

NTERCHANGEABLE OBJECTIVES.

Double Combination Achromatic Lenses, specially constructed for projecting purposes, with a long rack adjustment tube. Each combination in a separate tube or cylinder is made to slide into the rack front; they can, therefore, be changed one for another in an instant, without unscrewing the front. These lenses are made of the following back foci, 4, 6, 8, 10, and 12 ins., and on each tube is engraved the focal length.

Front Only ... ... each £0 16 0
matic Lenses, in Brass Cylinders ... ,, 1 0 0

PARENT SCREENS.

se, 3 ft. 7 in. wide.. .. .. 15/-
hlet on "Oil Lamps and Transparent Screens."

DEAR READER,—The essential parts of an optical or projecting lantern consist in a luminant a condenser, a slide stage, and an objective.

The English method of adapting these to each other, has undergone very little modification or improvement for the past twenty or thirty years or more—in fact, the stereotyped design of magic lantern is just about what it always was, only there is a little more show about it now. In the best lanterns—that is to say, the most expensive instruments—there is usually an elaborately polished brass slide stage with a spring plate, which is always clicking and making a noise when used, and a crowd of brass studs and milled heads, etc. To the inside of this polished brass slide stage is attached a socket for the condenser, and on the outside are a series of telescopic brass tubes, all beautifully polished and lacquered, for supporting the objective. Now, these telescopic brass tubes ought to be sufficiently rigid at their greatest extension, to support the objective in the optic axis of the condenser, but the fact that they are very rarely so, and that, on the contrary, they are nearly always rickety or dropping, is well known to all lanternists of experience, and this, too, is admitted by the various more or less elaborate mechanical contrivances that have from time to time been introduced to secure the desideratum.

Polished brass fronts are defective or expensive—very often both—and contribute no more light to the screen than an equally well polished brass bedstead would.

That we have adopted a simpler and more efficient slide stage and objective holder, every lanternist will admit, sooner or later. By dispensing with expensive absurdities, we have not only increased the efficiency, and reduced the weight and bulk, but are able to provide the more perfect optical system, viz., 4½ in. triple condenser, interchangeable objectives of various foci, specially constructed for projection, a properly constructed jet holder and jet, with mechanical adjustments in every direction (not the unmechanical tin tray and pin, which was never known to fit), and all this we can supply for less than half the price of other instruments, intended for the same class of work.

RY'S ST., MANCHESTER.

EASTMAN'S SOLIO PAPERS.

By common consent the finest Printing Paper ever made.

NOTE. — Cabinet and Carte sizes in boxes of 500 sheets for the use of professional photographers.

ENGLISH SIZES—Pink or White.

$3\frac{1}{4}$ × $4\frac{1}{4}$	inches,	36	sheets in a Packet,	
4 × 5	,,	24	,,	,,
6 × $4\frac{1}{4}$	,,	24	,,	,,
$4\frac{3}{4}$ × $6\frac{1}{2}$	,,	16	,,	,,
5 × $7\frac{1}{2}$	,,	13	,,	,,
$6\frac{1}{2}$ × $8\frac{1}{2}$	,,	9	,,	,,
8 × 10	,,	6	,,	,,
10 × 12	,,	4	,,	,,



1/- Per Packet.

Sheets $24\frac{1}{2}$ × 17	inches, per quire,			15/-, packed in sealed tubes.
,, $24\frac{1}{2}$ × 17	,, ,,	$\frac{1}{2}$	quire	7/6 ,, ,, ,,
,, ,,	,, ,,	$\frac{1}{4}$	,,	4/- ,, ,, ,,
,, ,,	,, ,,	$\frac{1}{12}$	,,	1/4 ,, ,, ,,

CABINETS.	$5\frac{3}{4}$ × 4 in boxes of 500 sheets	... ...	18/9
	$5\frac{1}{2}$ × 4 ,, ,, ,,	... ...	18/-
CARTES.	$2\frac{3}{8}$ × $3\frac{5}{8}$,, ,, ,,	... ...	8/-
	$2\frac{1}{4}$ × $3\frac{1}{2}$,, ,, ,,	... ...	7/6

Single solution toning bath, post free to any part of the United Kingdom 2/9

EASTMAN'S BROMIDE PAPERS.

For Enlarging or Contact Printing.

Beautifully coated and and capable of reproducing all the best qualities of the negative.

"A," "B," or "C."

CUT SHEETS.

Twelve in each Package.

PERMANENT. Size. Inches.	Per doz. Sheets. s.	d.	EXTRA RAPID. Size. Inches.	Per doz. Sheets. s.	d.
$4\frac{1}{4}$ × $3\frac{1}{4}$	0	8	$4\frac{1}{4}$ × $3\frac{1}{4}$	0	6
5 × 4	0	11	5 × 4	0	9
$6\frac{1}{2}$ × $4\frac{3}{4}$	1	6	$6\frac{1}{2}$ × $4\frac{3}{4}$	1	1
$7\frac{1}{2}$ × 5	1	8	$7\frac{1}{2}$ × 5	1	4
$8\frac{1}{2}$ × $6\frac{1}{2}$	2	6	$8\frac{1}{2}$ × $6\frac{1}{2}$	1	11
10 × 8	3	6	10 × 8	2	9
12 × 10	5	0	12 × 10	4	2
$12\frac{1}{2}$ × $10\frac{1}{2}$	5	6	$12\frac{1}{2}$ × $10\frac{1}{2}$	4	6
$15\frac{1}{2}$ × $12\frac{1}{2}$	7	6	$15\frac{1}{2}$ × $12\frac{1}{2}$	6	9
23 × 17	14	0	23 × 17	12	6
25 × 21	21	0	25 × 21	18	3
30 × 25	28	6	30 × 25	26	1
40 × 30	46	6	40 × 30	41	8

25 FEET ROLLS.

	Per roll. s.	d.		Per roll. s.	d.
12 inches in width ...	11	10	12 inches in width ...	10	5
18 ,, ,, ...	17	4	18 ,, ,, ...	15	8
25 ,, ,, ...	24	4	25 ,, ,, ...	21	8
30 ,, ,, ...	29	2	30 ,, ,, ...	26	0
40 ,, ,, ...	38	10	40 ,, ,, ...	34	9

EASTMAN PHOTOGRAPHIC MATERIALS COMPANY, LTD.,

115, OXFORD STREET, LONDON, W.

PARIS: 4, PLACE VENDOME. NICE: PLACE GRIMALDI,

ROCHESTER, N.Y., U.S.A. THE EASTMAN KODAK CO.

As soon as oxygen is liberated freely (as will be indicated by the gas bubbling through W, which can be plainly heard), open valve K a this littleand light; this admits gasoline gas, and flame at first should be three or four inches long.

Open wide valve L; this admits a full supply of oxygen.

Now increase or diminish the supply of gasoline gas by valve K, until the whitest light is obtained. If oxygen has been made too fast, a hissing sound will be heard, and both valves, K and L, must be manipulated back and forth, until the whitest light is obtained without noise.

In closing or shutting off at the end of the entertainment, shut valve L first, then valve K.

In placing R over the generator burner, only



1½ or 2 inches should be heated, and when it is pushed along over the flame, it should only be by a ½ inch at a time, or gas may be made too quickly, it will escape through the safety valve B, on the bag.

—:o:—

The Lanternist's Den.—No. 4.

BLOW-THROUGH JET.

By C. E. RENDLE.

FOLLOWING up the success which attended my efforts in constructing an oxy-calcium lamp, already described in these pages, I soon decided to go further, trying my hand this time at a blow-through jet. Being fairly satisfied with the result, it is only reasonable and just, to communicate my experience, that others may also try if they are so disposed. Speaking to a brother lanternist some few days ago on the subject of jets, he produced one which, he informed me, was being largely advertised at a low price. "The figure induced me," he said, "to purchase one, cheap and nasty, and" he continued, handing me the article (which by the way was a mixed jet), "nearly blew my head off." I found upon examination, that the oxygen tube, instead of being tapped (and well tapped too) into the block of the mixing chamber, had only been badly fitted in, left perfectly smooth, and filled round with soft solder. The consequence was, as soon as that part of the arrangement got hot (and we all know it does get hot), the solder ran out, and out too came the pipe as soon as the thing was moved. "I had just turned out the gas," said my informant, "when I found it out, and was really thankful to think my exhibition was over without mishap."

Here was a scurrilous bit of work, I cannot speak from a professional training, but I am of opinion that any workman, with ever so scanty a knowledge of mechanics, will agree, that to put such an imperfect piece of apparatus on the market, is a libel on their craft, more specially so, as they cannot foresee what may follow. I cannot think anyone would sell such, knowingly, but rather it is the slovenly way that some men have in finishing off their work, and of which, in many cases, the master knows little or nothing.

There has been plenty of argument lately, as to the practibility and safety of saturators, but, up to the time of writing, I don't feel inclined to enter into the controversy, as I deem it is

best, first to assure ones self of the safety of our own paraphernalia, than to try and upset the inventions of gentlemen, whose knowledge of their studies is as a rule in advance of the would be fault finder. Therefore, it must be maintained, to be an expert in the manipulation of the lantern, we should be proficient in the many little parts that go to make the perfect whole.

First thing to do then in the case at issue, will be to provide ourselves with a diagram of our objects. This can be found in most lantern catalogues, or our advertisement pages. Perhaps better still is to procure—if you don't happen to have it—*The Optical Magic Lantern Journal* for September, 1889, where not only will be found diagrams of the different jets, but much valuable information respecting them.

The necessary materials for the blow through jets, are simple and inexpensive—viz., two of the smallest gas cocks, 20 inches $\frac{3}{16}$ and 6 inches $\frac{5}{8}$ brass tubing, one stick of brass wire, about $\frac{1}{8}$ thick, 1 ordinary 3 inch brass screw. These may be procured at any dealers in metal sundries, and a pair of brass bevil wheels, may be purchased at any house trading in lantern goods; total cost 2s.

Looking at diagram, let left hand tube represent hydrogen, and right hand oxygen gas; referring hereafter to these, I will do so as H and O.

Take two lengths of $\frac{3}{16}$ tube, 9 inch for H, $10\frac{1}{2}$ for O, and bend with your fingers to the form of your design. From a piece of flat brass make a couple of stays, to hold the tubes together at their respective distances, well clean and hard solder these in their places, cut down H pipe to the bend, and solder on a piece of the $\frac{5}{8}$ tube, $\frac{1}{2}$ inch in length, flange down at top to an angle of about 45°, and drill hole at back for O pipe to fit into, which must be securely soldered. The aperture at end of O tube should not be left too large—say $\frac{1}{4}$ of an inch. The ends of the inlets may now be fitted into the taps tightly, but may be removed again, until the last thing. Now make a pillar to fit the pole of your iron tray, which can be done from a $1\frac{1}{4}$ length of $\frac{5}{8}$ tubing. Turn up a ring of flat metal, rather stout, and $\frac{1}{4}$ inch deep. Fit and solder round outside of pillar at one end, this is the top. A hole may now be drilled on the side, tapped, and a screw made to it. For the head of this screw, a small clock wheel may with advantage be used, as it gives the fingers a good purchase.

Solder pillar on the stay nearest the inlets. The sliding platform and lime arrangement will claim our attention next, and the adjustment of the bevil wheels must be done to a nicety, or they may be useless. The platform itself is very simple and straightforward, as the diagram shows, and speaks for itself. Place in their relative positions the two bevil wheels, marking the centre of the vertical wheel, on the upright plate of platform, with a steel point, or some sharp tool. Open a hole only large enough to allow the stick of brass through, which may now be fixed to the wheel. This rod also passes through a loop in pillar, which, by the way, must be fixed there for the purpose. The hole in bottom of platform plate must be opened to take the wheel laying horizontally. The brass screw is divided into three, but not cut. The head end is to be filed perfectly square, about 1 inch up, this square end to just play through square hole of wheel, the reverse end to be evenly filed until small enough to pass through hole of a lime, tap this into a screw plate, and fit a washer on, screwing it to the bottom of pin. It prevents the lime from touching top platform plate, leaving it free to revolve.

The reader must exercise his own brains and ingenuity in fitting up and putting together. There only remains the taps to be again forced on their respective pipes, and securely soldered with soft solder. I left the final fixing of these taps until the last, they being the only parts that have been treated to soft solder, all the other pieces are secured with hard solder, which not only makes a sounder job, but is necessary for the heat the jet has to bear.

The forgoing may appear very complex, but should any reader not see clearly what is intended, he is cordially welcome to use—by the desire of the Editor—the notes and queries column.

—:o:—

Management of Saturators.

By A. W. Scott.

The employment of saturators for lime-light seems to be steadily increasing, as lanternists gain familiarity with their capabilities and peculiarities. A short account of the features of construction and manipulation of the warm air saturator, which is a speciality of the writer, may be acceptable, as such has not hitherto appeared in a complete form in *The Optical Magic Lantern Journal*, and enquiries received by post indicate that a certain number of persons are contemplating the adoption of this system during the season just commencing.

The description of the warm-air saturator as it appears in the patent specification, has—thanks to the intervention of a criticising gentleman, himself a maker of saturators of another pattern—recently received the honour of publication in this journal. It is not, there-

LANTERN SLIDES ON SALE OR HIRE.

NEW TEMPERANCE SLIDES.

Prepared in superior style by the United Kingdom Band of Hope Union. Detailed list on application.

A TEMPERANCE JOURNEY ROUND THE WORLD. 50 Slides. Reading, 6d. (Will be ready at end of September.)

I ONLY TAKE A LITTLE WINE. 6 Slides. Recitation, 1d.

DIP YOUR ROLL IN YOUR OWN POT. 6 Slides. Recitation, 1d.

WHAT HAVE YOU DONE TO-DAY? 4 Slides. Recitation, ½d.

BEWARE OF THE TRAP. 4 Slides. Recitation, 1d.

JACK AND JILL. 2 Slides. Recitation, ½d.

THE TEMPERANCE PICTURE GALLERY. 40 Slides. Reading, 6d.

THE LITTLE CAPTAIN. 24 Slides. Reading, 6d.

ALCOHOL AND THE HUMAN BODY. 12 Slides. "Temperance Manual for the Young," 2d.

PRICES (*not including Postage and Packing*):

Plain .. .. 12/- per doz.; Smaller numbers, 1/3 each.
Well Coloured .. 24/- do. do. 2/6 ,,

SLIDES ON HIRE.

Well-coloured Slides, carefully arranged in sets, suitable for Complete Entertainments, with specially prepared readings and attractive titles.

SETS OF 50 AND UPWARDS FOR 4s. 36 FOR 3s.

Societies arranging for Six Hirings this Season may have

THE SIXTH SET WITHOUT CHARGE FOR HIRE.

Each Hiring must amount to not less than 3s. for the Slides

May be sent Cheaply and Safely by Post.

NEW & ENLARGED LIST READY SHORTLY.

Lanterns and other Apparatus at the most reasonable prices.

Send for full Particulars to THE TRADE MANAGER,

UNITED KINGDOM BAND OF HOPE UNION,

4, Ludgate Hill, London, E.C.

IN ANSWER TO MANY INQUIRIES PLEASE NOTE ADDRESS.

W. R. HILL & SON,

Optical Scenic Artists

Of the Royal Polytechnic Institution for 35 Years,

ALSO THE LONDON AND PROVINCIAL THEATRES ETC., ETC.

Originally CHILDE & HILL,

Sole Inventors of Dissolving Views and Effects.

Also the Chromatrope, Chromo Ediotrope, & Introducers of the Lime Light on to the Stage (Drury Lane, 1855).

Novel Effects as seen at the Polytechnic can be executed by special arrangement with gentlemen.

Speciality in first-class photo colouring with original and striking sky effects.

13, BEVERSBROOK RD., TUFNELL PARK, LONDON, N.

COMPRESSED OXYGEN, HYDROGEN, &c.

In Steel Cylinders with IMPROVED VALVES. Easy to open and close, impossible to turn on gas suddenly. Regulator Taps unnecessary.

LOWEST PRICES.

THE GAS COMPRESSION COMPANY,

114, Princess St., Manchester.

BINDING EXTRAORDINARY.

You can Bind 1 dozen Lantern Slides in 3 minutes, by using the New Metal Binders. No Cement is needed. Post free, 1/- per doz.

Lantern Slide Clamps, the Best, 1/6 & 3/6. Postage 3d.

THE PHOTO ENTERPRISE CO.,

41, Erasmus Road, Birmingham.

GILMER BROTHERS,

Sole Agents for **CLEMENT & GILMER**, Paris; **EUGENE GOURRY**, Segonzac.

WHOLESALE DEALERS IN LANTERNS, LENSES AND ACCESSORIES.

Apply for Clement & Gilmer's Lantern and Photographic List, GRATIS ON APPLICATION TO

GILMER BROTHERS,

SOLE AGENTS,

MANCHESTER BUILDINGS, CANNON ST., BIRMINGHAM.

CHRISTIE'S LANTERN SLIDE LIBRARY.

129, West Street, Sheffield.

NEW SETS FOR SALE, HIRE, AND EXCHANGE.

Home Sweet Home.—Grizzie and Jim.—Keeping His Word.—An Austrian Hero.—The Curse of Drink.—Ned Ridgway's Escape.—While Sabbath Bells were Ringing.—Nimble Nat, and many others. Write for Lists.

OXYGEN FOR LIMELIGHT.

THE BIRMINGHAM OXYGEN COMPANY, LIMITED,

SALTLEY WORKS, BIRMINGHAM.

Sole Licensees for the Manufacture of Oxygen by the Brin's process in the Midlands.

Price Lists and Trade Terms on Application.

SCOTT'S PATENT WARM AIR SATURATOR.

For Ether or Benzoline, Prices **36/-** and **50/-**

Special jets, 800 candle power, with flame-proof chambers and adapted nipples, for use with Saturators **30/-** each. Dissolving Attachment 15s. extra. These jets also give splendid results with coal-gas.

A. W. SCOTT, 401, Cowbridge Road, Cardiff.

SLIDE MAKING

From NEGATIVES, PRINTS, SKETCHES, &c.

AND BEST COLOURING ONLY.

WILKINSON & CO.,

HOLMESIDE, SUNDERLAND.

Telegrams, "OXYGEN, SUNDERLAND." ESTABLISHED 1860

W. M. S. S. UNION,

2 & 3, LUDGATE CIRCUS BUILDINGS, LONDON, E.C.

NOW READY,

A GRAND NEW SET OF LANTERN SLIDES

ENTITLED—

"THE SYLVAN GLADES OF EPPING,"

Comprising 50 Pictures.

PRICES—Plain 1s. each, net; Coloured, 1/6 each net.
Hire for one Evening, 3/6.

EXTRACT FROM SUPPLEMENT TO THE
REVIEW OF REVIEWS,
"HELP."

A very beautiful set of slides . . . Amongst the pictures are some lovely little nooks and exquisite scenery with which the general public are unacquainted. Even the Lantern Trade, which should be the first to teach Londoners to realize the beauties of Natnre which lie close to their hand, has up till now ignored Epping. . . . I would suggest to those who have to cater this season for the public amusement that they cannot do better than take their audience . . . for a ramble all over the Forest, which (as can be seen from the accompanying lecture) is as rich in historical interest as in natural lovliness.

ALSO READY SECOND WEEK IN OCTOBER

A NEW MISSIONARY SET of SLIDES

ENTITLED—

JOHN HUNT (Fijian Missionary Hero),

Comprising NINETEEN PICTURES from Special Drawings; also, if required, Fourteen Hymn Slides for Service of Song.

PRICES—1s. each, net; Coloured, 1s. 6d. each net.
Hire for One Night—Pictures only, 1/10; Pictures & Hymns, 2/6.

☞ **Special Terms to the Trade.**

THE LAWSON SATURATOR

Will be sent to any address in the United Kingdom for 50/-

If not approved of and returned in good order within SEVEN DAYS, Money will be RETURNED, less carriage.

WILLIAM LAWSON,
Rectory View, Newton-le-Willows, Lancashire.

NO SLIDES STOCKED.

Send for my New Circular, Price List One Stamp. No Post Cards.

FRANK F. WEEKS.
OPTICAL LANTERN SLIDE DESIGNER.
Specialist and Inventor of Hand Drawn Designs, made expressly for producing Photographic Lantern Slides.

Original and Artistic Drawings made for accurately illustrating subjects of every nationality and period up to date, and producing Negatives and Optical Slides of every known form. Plain, Mechanical and Dissolving View Designs for Single, Double or Triple Lanterns. To ORDER only.

21, THORPE ROAD, FOREST GATE, LONDON, E. [*Estd.* 1875.

NO SLIDES STOCKED.

JNO. NORMAN,

ARTIST AND PHOTOGRAPHER,
89, NEWMAN STREET, LONDON, W.,
(3 DOORS FROM OXFORD STREET).

Special Drawings for the Optical Lantern Reproduced by Photography.

LARGE AND VARIED SERIES OF NEW AND COPYRIGHT SUBJECTS.

LANTERN SLIDES MADE FROM ANY SUBJECT.

AMATEURS' NEGATIVES DEVELOPED, &c.

Lists on application.

Agent—C. GREY, 11, Crooked Lane, King William St., E.C.

ROUCH'S GELATINE PLATES.

INSTANTANEOUS AND SLOW LANDSCAPE.

Received a Silver Medal at the International Inventions Exhibition, 1886, a higher award than any other plate. These Plates are hand-coated with Emulsion rich in Silver, and yield sparkling Negatives of the Highest Class.

ROUCH'S A.B.C. CONCENTRATED DEVELOPING SOLUTIONS require only addition of water to fit them for immediate use. A set of 5 oz. bottles (price 2s. 6d.) will develop 6 doz. Plates.

ROUCH'S READY SENSITISED PAPER keeps well, prints quickly, and tones to a rich colour. Quire, 13s. 6d.; ½ Quire, 4s.; Sheet, 10d.

ROUCH'S "BEECHY" COLLODION EMULSION PLATES. For Lantern Slides, Transparencies, and Opals. Are unequalled for Tone, Brilliancy and exquisite detail; they give a crispness and "sparkle" totally wanting in gelatine pictures. Lantern size, per doz., 1s. 6d.

ROUCH'S SULPHOCYANID TONING BATH FOR GELATINO-CHLORIDE PAPER, per pint, 2s. 6d.

CHLORIDE OF GOLD, pure, our own make, 15 grain tubes, 2s.; per doz. 19s.

DEVELOPING AND PRINTING NEGATIVES. Amateurs who have not time to develop their own plates, may have them developed by sending them with as full information as possible as to exposure and nature of subject. Printing from Amateurs' Negatives executed at reasonable prices.

ROUCH'S "EUREKA" PATENT DETECTIVE CAMERA.

ROUCH'S PATENT EXCELSIOR HAND CAMERAS.

DATACHABLE EUREKA CHANGING BACKS can be fitted to any make of Camera, each carrying 12 Plates

Send for Rouch's Illustrated Catalogue, 120 Pages, post free, 6d.

W. W. ROUCH & CO., Contractors to Her Majesty's Government, 180, STRAND

Manufactory: 43, NORFOLK STREET, STRAND, LONDON, W.C.

TO REALIZE MR. STEAD'S IDEA.

THE LANTERN BIBLE.

Our Catalogue contains over 1000 Subjects, illustrating the Bible History from cover to cover. All the pictures are selected with special care from the works of the works of the greatest ancient and modern masters; and the texts (numbering about 200 additional slides) carefully chosen by an experienced lanternist, who has also given close attention to their proper "display."

Help declares this to be "Much the most comprehensive of any series of pictures yet prepared."

Catalogue, post free, on application to

STEVEN BROS., 33 Osborne St., City, GLASGOW.

LIME-LIGHT JETS,

Wholesale, Retail & Export, Direct from the Maker,

10s. POST Special Blow-through Jet, Complete, with Cog-wheel Lime Turner Lever Taps, &c. Best Make and Finish Guaranteed. **10s.** FREE

Illustrated List Free to any part of the World.

F. BROWN, 13, Ossulston St., London, N.W.

STOCKS' NEW COMPACTUS MAGIC LANTERN,

NEW COMPACTUS LANTERN, PATENTED.

Fitted with his Extra Powerful Patent Oil Lamp and Improved Lenses, giving a Remarkably Flat Field. Complete in Russian Iron Case, 15 × 9½ × 6 in.

W. STOCKS, Inventor, RYE.

fore, requisite to repeat all the details so given. I will merely state that the warm saturator consists of a small copper cylinder, tightly stuffed with wool or other porous material, and which has a lengthy circuitous air passage, or perforated tube inside it, the ends of which are connected to the pipes, A and B, shown in the illustration. The tube, E, at the bottom, serves for filling with fluid.



The stuffed vessel is enclosed within a larger vessel, leaving a space between the two; this air space is filled with warm air supplied by a nightlight, F. The current of warm air circulates round the upper part of the saturator, and eventually escapes through a vent hole, D. The lower part of the saturator remains cool, and any fluid that is not absorbed by the stuffing, and drains to the bottom of the inner vessel, is preserved from the heat, and therefore does not boil. Hence the apparatus only gives off vapour when gas is passed through the tubes; it is incapable of producing vapour as a steam boiler does, by ebullition.

The advantage of applying a moderate degree of warmth to a saturator is considerable, especially in cold weather. Everybody knows that evaporation is greatly aided by heat; if we hold a damp cloth near a fire, we can see the vapour coming from it in clouds, and it is soon dry. So if we pass a current of gas over a warm surface saturated with ether, the vapour of ether comes off easily, and the gas is densely saturated with it.

We will suppose that our saturator is fully charged with ether, and is, at first, not heated, being in a room where a thermometer stands at about 60° Fahr. We will now turn off tap, B, attach a length of rubber pipe to tap, C, and with the mouth, blow gently through the rubber tube and the saturator; the air picks up vapour on its way, and escapes from, A, in an inflammable condition. We will first blow out any pure oxygen that may happen to be in the pipes, and then apply a light to, A. There will be no pop or explosion, but a flame will rise from A, which varies in size to the quantity of air blown through; if a flame two or three feet high is obtainable, we are assured that the saturator is in working order, and that no "short circuiting" of air is taking place inside the saturator.

Now we will warm the saturator by burning a night-light in the side chamber; after ten minutes, we may repeat our test: we at once find that the flame is *much larger*. In fact, the hotter the saturator is, the more vapour is imparted to the gas passed through, and a flame six feet high can be easily and safely produced with air from the mouth. A caution is here necessary:—the test should be made with *air*, not *oxygen*. If a slow current of oxygen were passed through a cold saturator, and a light applied to *a*, we should get a pistol-pop, harmless enough, but rather startling; and even in the case of a warm saturator, which is much less liable to pops, it is not advisable to light the vapourised oxygen, unless it is burnt from a proper jet.

There is another test which may be applied to the saturator, in order to ascertain if it is air-tight. Before charging the vessel with fluid, we will put a sound cork in A, turn off tap, C, and screw down the cap, E, tightly. Now, with the mouth applied to B, we can blow forcibly into the saturator, and then quickly turn off the tap, B. The air in the vessel is now slightly compressed, and if there be any leakage it will escape, until the pressure of air inside the saturator is equal to that outside. We will wait a minute or two, and then re-open tap, B, suddenly. If the surplus air comes out with a little noise and rush, we know that there is no leakage, but if there is silence, then we must hunt for the leak and correct it.

Being now, we will suppose, in possession of a saturator in good order, we will next examine the jet, which of course, is a mixed-gas or chamber jet. We first see if it is air-tight in its joints, by turning off one stop-cock, putting the finger on the aperture of the nipple, and applying the mouth to the other stopcock, we can produce a partial vacuum in the tubes by suction; and on putting the tongue to the end of the stopcock nozzle, we observe that the tongue is pressed against the brass by the action of the vacuum; if there is any leakage, air will find its way into the jet, and by destroying the vacuum, relieve the tongue from the pressure. Any such leakage should be corrected before using the jet.

Another test for the jet is to ascertain if it is likely to hiss. Remove the lime-pin temporarily quite away from the nipple, and turning off one stopcock, blow forcibly through the other, and

listen for the sound of the air as it issues from the nipple. If it hisses, the jet will hiss when used for the lime-light; if it is silent, it will probably be silent during the exhibition. A hissing jet can be best cured by a lime-light expert.

For saturator work, the mixing chamber should be spacious and packed with a flame proof material. Finely sifted pumice grains are the best for use with an oxygen gas bag, as they do not reduce the gas-pressure much; but with a cylinder of compressed gas, a handier packing is cotton-wick damped with glycerine. The packing should be placed between discs of wire gauze at the top and bottom, which may be strengthened by perforated plates of brass or platinum. The packing is very beneficial in preventing pistol-pops, and inducing thereby a feeling of security and ease on the part of the operator and people near the apparatus.

Having a jet which is so far correct, we may proceed to connect it to the warm-air saturator by two *thick red* rubber tubes about a foot long. These pipes should be nearly upright, the saturator being at a lower level than the jet.

Connecting a gas bag or cylinder to tap, C, of saturator by a flexible tube five feet long, we can pass a current of oxygen through the saturator, via the A tube to the jet; on lighting this gas as it issues from the nipple, we obtain a flame about six inches high, resembling the flame of coal gas. Next we turn on the pure oxygen which comes via the B tap to the jet, and then adjust both taps of the jet till the limelight is at its brightest.

Now, if the jet is perfect, there will be no noise or hissing, no flickering or quivering of the light. The area of incandescence will be a perfect oval or circle about an inch in diameter, there will be little or no flame above the lime, no shivering bits of flame darting off in odd directions. Everything should appear motionless and noiseless, and no flame should rebound from the lime and strike the nipple, causing it to corrode and wear away. A jet which does not act thus, is not in perfect order, it wastes gas and vapour, and does not give the proper amount of light. A faulty jet should be sent to an expert to be doctored. Of all the jets made for coal gas, scarcely one in twenty is fit for saturator work without more or lessad aptation.

With regard to the fluids, *ether* is the most convenient for general use, it is obtainable in most large towns, and is easy to work with. It gives a maximum light of about 500 candles.

Benzoline is much cheaper than ether, and answers fairly well for single lantern with warm saturator. It is capable of giving 800 candle-power with the best jets.

Gasoline is undoubtedly the best liquid of all, in cost being intermediate between ether and benzoline. It gives a light equal to benzoline, and is as volatile as ether, hence it is well adapted for dissolving lanterns. It is only sold in eight-gallon cases, and is not obtainable in smaller quantities, except here and there from dealers in warm-air saturators.

Now we come to the question. Can dissolving views be properly exhibited by a saturator system? Hitherto, the writer has been rather shy of recommending a saturator with double and triple lanterns, preferring to gain experience and success at first with the more simple single lanterns.

(To be continued.)

—:o:—

A Lantern for General Purposes.

By A. T. Hare, M.A.

As the editor has been good enough to say that he considers a description of my old lantern likely to interest readers, I have put together a few notes describing the various little points, which a tolerably long experience has suggested, and which I have from time to time embodied in its construction.



Fig 1.

Firstly I must premise that, as I intended the lantern not merely for projecting slides, but for all kinds of purposes useful in physical lecturing, I made the body rather bigger than usual. It consists of an oak frame 16 inches long, 12 high, and 9 broad. The bottom only is filled in (save for air holes), the top, both sides, and the back being open to their full width. The top has a cover of japanned tin plate, removable when a paraffin lamp is used, and not shown in the figure; the sides have oaken doors (lined with tin plate as usual), and the back is closed by a black velvet curtain. The front has a circular aperture, 8 inches in diameter, below which is a ledge, from the top of which ledge two pins project about a quarter of an inch, and below this is a slot, extending right under the lantern, and allowing an oak slide (*c*, Fig. 1), to be drawn

THE Royal Chicago



STEREOPTICONS.

Gas Making Apparatus,

LANTERN SLIDES,

We Manufacture, Import & Deal

Write for Catalogue.
Mention this Journal.

McINTOSH BATTERY AND OPTICAL COMPANY,

Chicago, Ill., U.S.A.

THE CAMERA
FOR
LANTERN SLIDES.

40 CUT FILMS. NO SHEATHS OR HOLDERS.

THE BEST LENS WE CAN MAKE.

Size of Film 3¼×3¼. Weight Charged 3lb.

PRICE £5 5s.

NO TROUBLE. NO WASTE.

ANYONE CAN USE IT WITH SUCCESS.

EVERY IDLER SHOULD CARRY ONE.

WESTEND AGENTS—

London Stereoscopic and Photographic Co.,

106—108, REGENT ST., LONDON, W.

THE MALDEN TRIPLE.

GRAND RESULTS UNEQUALLED.



Send for Mr. HUGHES' Full Illustrated Catalogue, over 300 pages, 1s., postage 5d.: small ditto, 6d., postage 2d., giving useful and valuable information; also prices of every description of Lantern Apparatus, Slides, &c. Cheapest and Best Over 17 Patents. Perfection in every Direction.

In proof of this, Mr. HUGHES has constructed a most magnificent Triple for B. J. MALDEN, Esq. The **Docwra Triple** also gained the only Prize Medal and Highest Award, and used nightly at the Royal Polytechnic Institution; also by COLIN DOCWRA, Esq., Dr. H. GRATTAN GUINNESS, Capt. SELWYN, M.P., JOHN DOCWRA, Esq., Madame ADELINA PATTI, &c. His high-Class Lanterns and Objectives supplied to Capt. C. READE and the Rev. FRANK WHITE, W. LANT CARPENTER, Esq., the Misses LEITCH; **therefore** go direct and have a first-class instrument, and not the Commercial. Teachers' Aid Science Lantern for all purposes, Oxy-hydrogen Microscopes, &c. **Patent Presto** Carrier. 60,000 Slides from 6d. each; 300 Lectures Sets. The **Patent Bijou** Enlarging Lantern, with Rectangular Condensers, perfect results scientifically considered—Special, 5 by 4 by 3½, £7 10s.

Larger Sizes.

BIUNIAL, Handsome Mahogany, Elegant Brass Fronts, Best Front Lenses,

£7 15s. 0d.

The NEW PATENT PORTABLE BI-UNIAL LANTERN for Travelling.

The front folds over which is covered by the body, itself thus forming a case both unique & portable.

PATENT DOUBLE PLUG STAR DISSOLVING TAPS.

NO MORE EXPLOSIONS! A GREAT INNOVATION! PERFECTLY CONSTRUCTED

Double, £1 12s.; Single, £1 10s.

The New Patent **SIMPLEX DISSOLVING JET**, a Perfect Shut-off Jet, for either Single, Double or Triple Lanterns, acting the same as the Four-way Dissolving Taps.

LANTERN SLIDES—*50 Slides loaned for 3s. in Special Grooved Boxes.*

W. C. HUGHES,

BREWSTER HOUSE, MORTIMER RD., KINGSLAND, LONDON, N.

out to the extent of 14 inches. The lantern body is shown in Fig. 1. There are two frames (Figs. 2 and 3) which carry, the one an ordinary pair of 4 inch, the other a pair of 7 inch, condensers. To the former can be attached, by the two thumbscrews, shown in Fig. 2, the slide carrier (of oak), shown in Fig. 6, or, if desired, another carrier (Fig. 7) having two springs, like a certain kind of microscope stage, so that tanks, &c., can be attached in front of the condensers, full access being had to the top.

Fig. 2,

Fig. 3.

The 7 inch condensers (Fig. 3) are mounted in oak frames, hinged at the top, so that the front lens can be turned up out of the way if desired, or can be raised to the horizontal, a reflector of silvered plate glass backed with oak, being adapted by pins, and held by hooks and eyes, as shown in the figure. In this position the lantern can be used for vertical projections. When it is so used, a brass pillar screws into the corner of the lantern, marked *a*, in Fig. 1, to carry objectives, and a total reflection prism. The two sets of condensers can be changed the one for the other in a few seconds, and the pillar and prism can be left on throughout the lecture.



Fig. 4.



Fig. 5.

The slide (*c* Fig. 1) carries at its end a frame *b*, into which can be dropped in a moment, any one of the rising fronts of my camera carrying its objective, so that a large range of focussing is immediately available, the fine adjustment being performed by the rack and pinion of the lens itself. A small socket and set screw (*d*, Fig. 1,) allows a small table, adjustable in all directions, to be attached in front of the objective, to carry a prism or coloured glasses, &c., for spectroscopic demonstration, or developing enlargements on the screen. The same camera-fronts fit also into the frame, shown in Fig. 5, so that the objectives are also available for vertical work, and it will be seen that this method gives complete range of adjustment for centring.

The lime-jet is rather different from those usually constructed, and presents some very useful features. It is shown in Fig. 8, where it will be seen that the tubes carrying the two gases are disposed vertically, instead of side by side. These tubes have main taps in the usual positions for adjusting the amounts of gas, and two extra taps (*a* in the Fig.), the handles of which are connected by a parallel-ruler-motion, and turn up and down by a cranked wire, *b*. This forms a simple modification of "Pringle's cut-off."

The two tubes are soldered to a vertical tube, *c*, slipping easily over an upright steel pin, and the whole arrangement is solicited to turn about this pin as an axis by the spring *d*, being hindered from doing so by the point of the milled-headed screw, *e*. This gives a fine adjustment of the light horizontally. The steel

Fig. 6.



Fig. 7.

pin on which the jet turns, is not fastened as usual to the tray, but to a separate piece of board, *f*, hinged to the tray at its front end, and urged upwards by a spring beneath, and moved slowly downwards against this spring by another milled-headed screw, *f*. It will be seen that with the right hand on the screw, *e*, and the left on *f*, the demonstrator has a complete fine adjustment of the light both vertically and horizontally, an advantage which only those who have tried difficult projections in polarised light, &c., can appreciate. It has often surprised me that these simple adjustments, which cost me a few pence only, should so seldom (if ever) be found in the jets ordinarily sold. The only adjustable jet I have seen, was one by a first rate London optician, and was certainly a beautiful piece of apparatus; but it had cross slides in brass, like the slide-rest of an engineer's lathe, and though costing about as many shillings as mine cost pence, was not in the least degree more effective or convenient. The lime pin is fastened by a slotted brass strip and a set screw to the side of the tubes, and can be set leaning forwards, often a most advan-

tageous position. The "tray" of the jet is simply an oak board running in a dovetailed groove on the floor of the lantern.

In conclusion, I may point out a few advantages secured by the above arrangement. The long body and wide doors permit easy manipulation inside the lantern, where the salts of sodium, lithium, and other easily volatilisable metals can be burned on pieces of graphite in the O.H. flame, and their spectra projected, and similar experiments performed. The slide, *c*, permits of rapid focussing with all kinds of lenses, and allows apparatus to be inserted between the condensers and objective, such, *e.g.*, as an absorption-flame for reversing the sodium line, or a revolving disc driven by an electric motor for producing intermittent light. It also renders possible a number of experiments which usually require the aid of loose focussing glasses. If a beam of light is required from the condensers only, as is often the case, the slide can be pulled right out in a moment. I have a conical nozzle which fastens on to the set



Fig. 8.

screws shown in Fig. 2, and which can be applied where it is desirable to exclude all stray light from the room, but this is rarely necessary. To the last mentioned set screws also can be attached a box containing a bundle of glass plates for producing polarized light. The power of immediately changing the objectives by merely dropping in a camera-front, is a very great convenience. The rapid change to a vertical lantern is also most useful in a lecture where time is of importance.

The whole lantern was made at home many years ago, and as the only things bought were the condensers and the reflecting prism, I think I may say that the entire cost to me was under £3.

If any of your readers profit by any hint conveyed in the above, I shall be very much pleased, and I can assure them that, after some years' experience, I have thoroughly tested the apparatus, and can confidently recommend the design. The adjusting lime-jet, particularly, when once used, seems more like a necessary than a luxury.

Small Lantern and Dissolving Views.

By W. I. Chadwick.

The practicability of reducing the size and diminishing the weight of Magic Lanterns, occupied my attention many years ago. In the *British Journal of Photography* of May 1878, I published a description with illustrations of two small lanterns, which I had constructed, they were very little larger than cigar boxes, the fronts for carrying the objectives where made to disconnect, and to pack up inside the bodies, when not in use. Chimneys were dispensed with, in favour of flat tops; they could be used separately as single lanterns, or together side by side, or one over the other. The illustrations and descriptions were republished in the Magic Lantern Manual, of the same year. Thus it will be seen that contracting the size, dispensing with chimneys, and packing the fronts inside the body, is not the new idea many people suppose it to be, with those little lanterns I have given dozens of successful exhibitions at the Manchester Photographic Society, and else where, showing the pictures to 20 feet square. But for a long time and down to a few years ago, the bi-unial lantern—*i.e.*, two lanterns in one body, one over the other—was the prevailing design for so called high class lanterns, the object of two lanterns, being, as everybody knows, for the production of "Dissolving Views," and in these days of lenses of various foci, or long focus objectives, the bi-unial lantern has grown into a very heavy, elaborate, and expensive instrument. The triple lantern is a higher development of the bi-unial, and by reason of unnecessary elaboration and inconvenience, both triple and bi-unial lanterns have fallen into disfavour of late years.

There are however other uses for a double lantern, or two lanterns, independent of dissolving views, as for instance, one lantern may be used for the projection of ordinary slides, whilst the other may be employed for the projection of scientific experiments, the lantern microscope, polariscope, &c., &c.

But to return to dissolving views, it has been said that this way of exhibiting, improves poor slides, and also helps out a weak lecture, and that it has a very pretty effect, so, if people want dissolving views, they must have them.

What is meant by dissolving views, is that one picture fades away, or dissolves simultaneous with another picture, being made visible—*Developing*—on the screen.

HUGHES'

New Pattern Patent

PAMPHENGOS LAMP.

NEARLY 3,000 SOLD.

GREAT IMPROVEMENTS.

AN INTENSELY WHITE LIGHT! PERFECT COMBUSTION!
NO SMELL OR SMOKE! AN EVENLY ILLUMINATED FIELD!

Sectional Conoidal Glasses, Impervious to Heat and Proof against fracture.

The Renector is used in its entirety, and the essential parts are not cut away for sight holes, and being outside the glass is not affected by the products from the consumed oil.

FULL VOLUME OF LIGHT AT ALL TIMES!

The perfect combustion of this lamp, together with its general plan of construction, enables it to burn perfectly at any time without the aid of dampers or chimney lengtheners, which are evils to be eschewed. The Pamphengos chimney is pulled out to its full length when first lighted, and the lamp at once burns with full volume without any adjusting, if directions sent are adhered to.

Never use talc, it only lessens the light.

Personal attention is given to every lamp in manufacturing to insure the finest results.



PRICES,

No. 1. **Best Pamphengos Lamp**, latest pattern, with improvements to date, special brass cone, best pinions to wick tubes, also hinged doors, which fall back, holding conoidal glasses, and secured at the revited drop catch. The cistern or reservoir is made deep to allow of free working of the wicks. Price, complete with chimney .. **£2 2 0**

No. 2. **Pamphengos Lamp** **£1 10 0**

No. 3. **Pamphengos Lamp** **£1 1 0**

No. 1. **Best Pamphengos**, with handsome Japanned body, elegant solid brass fronts, finest 4 inch double condenser, and high class large diameter front lens, with rack and double milled heads, or rotary focussing, in complete case **£6 6 0**

No. 2. **Pamphengos**, similar to above, brass fronts, 4 inch condenser, double combination lens rack and double milled heads, in complete case **£4 4 0**

No. 3. **Co-operative Pamphengos**, 4 inch condensers, double combination lens, **£2 10 0**

The Universal Lantern with 4 inch condensers, 4-wick lamp, patent combination lenses, rack & pinion in case **£1 7 6**

W. C. HUGHES, Brewster House, Mortimer Rd., Kingsland, N.



TO LANTERNISTS.

Those requiring the most Practical Apparatus at a reasonable price, should send for our **New Illustrated Catalogue of Apparatus and Slides**, Upwards of 350 pages, containing "**Practical Instructions to Practical Lanternists by Practical Men,**" **by Messrs. D. W. NOAKES and C. W. LOCK.** Post free 12 stamps,—Apparatus only, 6 stamps. Containing particulars and illustrations of all our recent and Patented Lantern Novelties.

Every improvement in our Apparatus suggested by long personal experience, Mr. D. W. Noakes and Mr. C. W. Lock, two principals of the firm, having personally operated at 5,000 Exhibitions.

Specialties:

High-Class Optical Projection Lenses.

High-Class Optical Lanterns, Cameras, and Enlarging Apparatus, &c.

No LANTERN Complete without NOAKES' Patent INTERMEDIATE REGULATOR

Intermediate Regulator for jets saves 15 per cent. of gas, price 4s



These are selling by hundreds and are highly praised by all users.

This most useful contrivance, when attached to Lime light Jets, stops all noise and roaring when compressed gas is used. Its construction permits the proper quantities of Oxy and Hydrogen to be adjusted in the most accurate and minute manner, thus balancing the gasses, stopping roaring, and getting the most intense light with the minimum quantities of gas.

It is so constructed that it screws into the back of the Jet Cocks in lieu of the usual bends, or can be attached direct to the Jet Tubes.

See page 64 *Optical Magic Lantern Journal*, for Dec., 1890.

D. NOAKES & SON,

WHOLESALE AND RETAIL MAKERS

South London Optical Works, Greenwich, London, S.E.

Telephone 8029. Hours: 9 till 8, Thursday 9 till 2 "Practical utility without useless elaboration or expensive ornamentation.

To produce this effect two lanterns are indispensable; with a single lantern we may have quick changing carriers, panoramic carriers, or others to produce an out-of-focus effect, or an eclipse or semi-eclipse during the change from one picture to the other, but the true dissolving effect is only possible by two lanterns as has already been said.

Now it matters not what form these two lanterns take, they may be placed side by side diagonally as in Dancer's lantern, or one over the other as a bi-unial lantern. The idea that a bi-unial lantern is more conveniently manipulated by one operator, may be entirely dispelled. The proper place for a lanternist to stand is at the back of his instrument, and with a properly constructed pair of lanterns everything is within reach, and the opening and closing of side doors and constant adjusting of the objectives for focussing the slides, is rendered absolutely unnecessary.

The contrivance for dissolving one picture simultaneous with the developing of the next, was originally a "comb" or serrated "fan," worked in front of the objectives by a mechanical arrangement for gradually cutting off the rays from one lantern, with the gradual opening of the other lantern.

The late M. Noton, of Manchester, used an iris diaphragm in front of each lens, and by a lever communication, one was closed as the other opened; by these arrangements it was necessary to maintain the full light in each lantern during the exhibition.

Mr. Dancer, of Manchester, conceived the idea of turning down the light of one lantern simultaneous with turning it up in the other lantern, and constructed a series of taps actuated by one lever, and immediately after this M. Noton combined the use of these several taps in one plug and body.

Since these the dissolving tap has been slightly modified in design, but it has never been improved; on the contrary, durability and effectiveness has been sacrificed for fine appearances. In some of these fancy looking taps, six ways are opened and closed in line, on the circumference of a plug $\frac{3}{4}$ of an inch in diameter, the object being to get a short plug for compactness—the very thing that it ought not to be. Every mechanic knows that a long plug, like a long bearing, works better and holds the lubricant. With six ways in so small a circumference there is too little room for tap to keep tight, the slightest dust or grit cuts the plug, and soon it becomes stiff and jams, or permits the passage of gas from one side to the other, and as a result little explosions by the mixing of the gas in the tap, are not unfrequent. A well made dissolving tap ought to be provided with a long plug, with the oxygen openings separated from those of the hydrogen by at least an inch in the length of the plug, and between these there ought to be a groove turned in the plug, say $\frac{1}{8}$ in. wide and deep, with a hole to correspond in the body of the tap, so that in case the plug did not fit tight, the gases could not mix, but would escape by the hole in the body, and in this arrangement there are only three openings in the circumference of the plug, therefore more tap and more surface to hold a lubricant. In some of these elaborate looking taps two bi-passes are provided, one on the oxygen side and another on the coal-gas side. The latter is necessary to maintain a light, but the former serves no purpose whatever, unless it be to increase the expense.

Another method of changing the pictures, and which is a pleasant change from dissolving, is that of one picture rolling up from the bottom displaying another underneath; this is called the roller curtain effect. In a bi-unial lantern it is produced by a thin metal shutter passing between the face of the condenser and the picture; the length of this shutter is just in excess of the distance between the optical systems, so that when the light from one lantern is shut off, the other is open, thus when the shutter is half way, the sky of the top picture is covered, and the sky of the bottom picture is showing on the screen, of course where this is used the light in both lanterns must be at full.

Now it will be seen that when dissolving from one picture to another, this curtain shutter must be entirely removed from the lantern, and when we desire to introduce the curtain effect, the shutter must be introduced when the top light is turned down. As soon as the shutter covers the top condenser, the light must be turned up, and as the shutter is lowered, the picture in the bottom lantern has the appearance of rolling up from the bottom, displaying another under it (shown by the top lantern). At this stage we have the bottom lantern shut off, and the only way to open it is to draw it up again after the picture has been changed, thus the effect of rolling must always be done *twice* together every time it is used, owing to the fact that the shutter can be removed only from the top.

In a pair of lanterns working side by side, a similar effect can be produced, but instead of rolling up and down, the pictures are introduced sideways, and has the appearance of an unfurling pamorama, and as the shutter may be introduced or withdrawn from either side, the effect may be produced at any time, and for once only and done with, as for instance, when

we wish to skip from one subject to another, or from one part of the country to another.

But the finest effects in changing, may be described as a cross between dissolving and the roller curtain. This method was adopted by Mr. Kirnon, the skilful operator to Mr. Rajan, the American lecturer, who visited this country in the early part of the present year.

In the Great Free Trade Hall, Manchester, these lectures had a run of some weeks, and, as regards lantern manipulation, I have never seen it excelled, if equalled. The screen was 36 feet square, and the picture shown to 33 feet square, brilliantly illuminated by lime-light.

As seen by the audience, whilst one picture was on the screen, another began gradually to develop, and when this was fully out, the departing picture was not dissolved in the usual way, but as a friend of mine expressed, it seemed to "fly away," or to be "blown away." Sometimes its departure commenced from the bottom, and finished at the top, sometimes it flew away from one corner, and then from another, and in a variety of ways it mysteriously vanished. At other times they were quietly and steadily dissolved to the end, and at other times by an instantaneous flash from one to the other.

By the kindness of Mr. Rajan and his clever operator, I was permitted to see the whole manipulation of these effects.

Two lanterns were used, placed side by side, the space between the condenser and the objectives, was entirely open, whilst a picture from No. 1 lantern was showing, the dissolving tap was turned until the next picture was fully developed. By a gentle sweep an ordinary lens cap was applied to the back of the objective of No. 1 lantern, and depending upon the way in which this cap was applied, first from one side, and then the other, so the picture vanished, the dissolving tap was then turned further, to shut off the light of No. 1 lantern, a new slide introduced, and so the whole goes on with variations, at the discretion of the operator.

Now it will be seen that capping the lens from the back of the objective, is very different to the rapid or abrupt cut off by capping in front of the objective.

—:o:—

New Lantern Apparatus.

In order to prevent the possibility of the mixing of gases through the misfit of the plug in the star form of dissolver, Mr. Docwra has devised, and Mr. W. C. Hughes, of Kingsland, introduced a new form. Instead of both gases being controlled by one plug, two plugs have been introduced, which, though separate and



distinct one from the other, are controlled by one lever, placed in the same position as the old form. The plugs and the dissolving handle each have a projecting end, which are connected together by a rod, so that they all move together with one movement of the lever.

Mr. Hughes has also just brought out a neat portable and rigid reading desk, a new pattern pamphengos (shown in his advertisement, on another page) an electric lantern and projection microscope.

To assist those who experience difficulty in registering effect slides, Messrs. Newton & Co., of Fleet Street, E.C., have introduced sets of registering slides holders. A separate holder is required for each framed slide; it consists of a metal frame, in which the slide can be held in any desired position. The adjustment is made whilst the holder is in the lantern stage. With this adjunct a dozen effect slides can be registered in as many minutes.

The same firm have also a thin carrier, by which framed slides can be passed through a single lantern pamoramically, instead of withdrawing each, and leaving a white disc while the next picture is inserted. The new triple condenser, designed by Mr. J. Traill Taylor, is also being made by Mr. Newton & Co.

Messrs. Butcher & Son, of Blackheath, London, S.E., have added a lantern department to their business of manufacturing chemists, and among other apparatus we find a new form of instrument for viewing or inspecting lantern slides. This instrument which they term "Reflectoscope," has a substantial appearance as shown in the illustration. The lantern slides are passed through the horizontal slot at the side, and viewed at a 3½ inch magnifying glass at the

ASK YOUR OPTICIAN FOR

DUPLEX REGULATOR

PERFECT FOR DISSOLVING.



30s. **30s.**

OXYGEN

Speciality from

CHLORATE OF POTASH.

Patentee of the Bourdon Safety Gauge.

CYLINDERS

ALL SIZES IN STOCK.

Valves and Fittings.

Patentee of the Bourdon Safety Gauge.

CYLINDERS FILLED WHILE CUSTOMER WAITS.

Manufacturer—A. CLARKSON,

28, BARTLETT'S BUILDINGS, HOLBORN CIRCUS, LONDON.

THE EXTRAORDINARY RAPIDITY OF

The Mawson Plates

MAKES THEM SPECIALLY USEFUL

For Detective Camera and all Instantaneous Work.

MAWSON & SWAN,

NEWCASTLE-ON-TYNE, and 33, SOHO SQUARE, LONDON, W.

THORNTON-PICKARD

"TIME" AND INST. SHUTTER

Is in use all the World over, and has by far the Largest Sale. This is the best Testimony as to its sterling merit. Price from 18s. 6d. Speed Indicator 2s. 6d. Extra.

"I find absolutely no vibration whatever in either the "Time" or "Instantaneous" movements, freedom from which I have found in no other shutter (and they are many) that I have tried." —F.D.

"The 'Time and Instantaneous' Shutter of your make that I now have has been in constant use for nearly two years, and is as good as new. It has never failed me once."—M.T.

"I may say that I have tested a number of shutters, and am satisfied that the Thornton Pickard is the first." —T.D.W.

CATALOGUES POST FREE. The THORNTON-PICKARD MANUFACTURING COMPANY, ALTRINCHAM, near MANCHESTER.

25 % REDUCTION IN PRICE.

(SUITER'S PATENTS)

15/- Pocket Pressure Gauge & Compressed Gas Regulator. 15/-

Of all Opticians and Optical Lantern Makers.

H. HUGHES AND SON,

LANTERN SEASON, 1891 & 1892.

All New Slides and Apparatus Now Ready.

OUR SPECIAL OPTICAL LANTERN 35 SHILLINGS.

Hire Terms Greatly Reduced.

NEW ILLUSTRATED CATALOGUE POST FREE.

59, Fenchurch Street, London, E.C.



SANDS, HUNTER & Co.,

Photographic Apparatus and Lanterns,

NEW AND SECOND HAND, BY ALL THE BEST MAKERS.

Lanterns and Operator let out for evening entertainments for children, &c. Terms Moderate.

20, Cranbourne St., Leicester Square, London, W.C.

T. J. DOGGETT,

Manufacturing Tin-Plate Worker to the Optical Lantern and Photographic Trades,

4, CHURCH LANE, UPPER ST., LONDON, N.

Lanterns in Japanned Tin-Plate or Mahogany—All accessories for Lantern Trade kept in stock.

CHRISTMAS CARD MOUNTS,

For Mounting Photographs on. Samples 1/- and 2/- post free.

Send for our Price List of all kinds of Mounts.

HOOPER & CO., Manufacturers, 5, Hand Court, Holborn, London

Dissolving View Magic Lanterns and Slides

Photographic Apparatus, Scientific Instruments and every description of miscellaneous property.

MR. J. C. STEVENS begs to announce that he holds Sales of the above, every Friday, at half-past twelve precisely, at his great Rooms, 38, King Street, Covent Garden, London.

Gentlemen wishing to include property in these Sales are requested to send particulars one week prior to sale.

ASKEW'S

PATENT

LANTERN BOX,

With Tripod Stand

42/-



OPTICAL LANTERNS & SLIDES

Of the Highest Quality Only.

NEW SLIDES FOR 1892-93.

Bees and Bee Culture	37 Slides
Histological Series	140 ,,
A Photographic Tour Round the World	80 ,,
Astronomy—"Knowledge" Series	48 ,,
Canada—Up Country Views	25 ,,
Canadian Pacific Railway	32 ,,
West Africa	24 ,,
New Hebrides	60 ,,
Life History of Wheat	20 ,,
English History	100 ,,
Scenes from Shakespeare's Plays	85 ,,
Lord Tennyson's Life, Poems, &c.	86 ,,

NEWTON & CO.,

3, FLEET STREET, LONDON,

ARE SOLE MAKERS OF

Patent Refulgent Lamps,
Askew's Patent Combination Lantern Box and Stand,
Wright's Lantern Microscope,
Wright's Oxy-Hydrogen Jets with "Pringle Cut-off."
The "Miniature" Lantern, The Scientist's Bi-Unial,
The Triple Rotating Electric Lantern,
Rockcliffe's Patent Slide Register Frames,
Thompson's Patent Curtain Shutter,
Traill Taylor's Triple Condenser,
Newton's Patent Rack Lantern Base.
Newton's Patent Tubular Slide for Bi-Unial Trays.

upper part. A reflector is placed in the lower part of instrument, at an angle to reflect the



light through the slide, which is then seen in a mirror placed opposite the magnifying lens.

Flying Carrier. This carrier is something entirely different from existing carriers—with it the changes of slides are very rapid, as a tape acts as a multiplying gear. The slides are

inserted at the extreme ends of the carrier. It works with ease and certainty, and appears to be meeting with great favour.

—:o:—

Editorial Table.

Labels.—We have receive from Messrs. Percy Lund & Co., a neat and useful book of labels, for photographic and other purposes. The labels are perforated and gummed, whilst the front is protected by a varnish, which prevents them becoming detached from the bottle, by reason of solutions dribbling over them. Another special feature in connection with these labels, is that in all cases of poison, the antidote is printed immediately below the name. The complete book only costs 6d.

"Maxotints" is a name given by Mr. D. McNae, for a process of colouring photographic prints with aniline tints. We have no particulars of this process, which Mr. McNae informs us he intends to keep secret, but the samples we have seen are quite as good as those done by the ordinary published processes. There may, however, be some easy method of applying these colours, but of this we do not know.

American Catalogue.—We have received from The McIntosh Optical Co., of 141, Wabash Avenue, Chicago, U.S.A., the catalogue which, according to their advertisement on page xvii., they invite our readers to send for. This catalogue, which contains upwards of 300 pages, is beautifully got up, and is full of cuts of lantern apparatus, the shapes of which are entirely different to what we are accustomed to see in this country. We observe that the jets are much shorter in the tubes than English ones. Not only is this catalogue a price list, but it contains a large store of valuable information in connection with optical projection. Slides of all kinds are described, including a very large selection of scientific slides.

Cadett Plates.—The makers of these plates have sent us some of their extra sensitive plates, and also a supply of lantern plates, but as these came rather late to report on in this issue, we hope to do so in our next number.

Lawson Saturator.—In our May issue we gave an illustration of a new saturator, invented by Mr. Lawson, Newton Le Willows, Lancashire. Since that time, many improvements have been made in the general shape of the instrument, which possesses great advantages. We have received from the inventor, one of their saturators, which we have tried, both in public, as well as private, and must say that we are particularly well pleased with its behaviour, and anticipate using it on numerous occasions this season. The saturator holds about 3 ozs. of benzoline, and goes bodily into the lantern (it being about the same size as the old fashion lantern Argand lamp). The tube from the oxygen bottle, is merely attached, and the light applied. The nipple, and lime holder, form part and parcel of the saturator—it is thus very compact. The light produced is exceedingly brilliant.

—:o:—

Correspondence.

ELECTRIC LIGHT FOR LANTERNS.

[*To the Editor.*]

Sir,—I notice an article on "The electric light for lanterns," by Searchlight, in the October number of Journal. The writer very evidently does *not* understand what he is trying to write about. He names three methods of generating electricity, and in the second method he names "dynamos, or *frictional* machines," what does this imply? As in the building of dynamos, the friction is reduced to a minimum, does the writer refer to the plate glass electrical machine? Because it is fearfully absurd and ignorant of the writer to mention such a machine in connection with electric lighting. Further on he says "The electricity generated from Grove's cells, if all could be utilized, would represent about 2 volts for each pound of zinc consumed." This is another grand display of "a little knowledge is a dangerous thing." The Grove's cell gives about 2 volts electro-motive-force, whether it be a *gill* one, or a *gallon*, the E. M. F. is the same, but the quantity is proportional to the surface, exposed to the charge.—Yours, &c., CARLO DONATI.

TRANSPARENT SCREENS.

[*To the Editor.*]

Dear Sir,—It is very gratifying to me to know that my paper on oil lamps and transparent screens, published in your August number, has received so many endorsements. I have a pile of correspondence on the subject from all parts of the world, and it may be equally gratifying to you to have proof of the large circulation of your little paper. The screen may be made of tracing paper, which can easily be obtained in rolls 3 ft. 6 in. wide, or in sheets, and it ought not to require much constructive skill to devise a method of supporting such a sheet of paper. I have said all I can in these columns, but those who do not care for the trouble of making the thing for themselves, I would refer them to the advertising pages.

Manchester. W. I. CHADWICK.

CARELESS PACKING OF GOODS.

[*To the Editor.*]

SIR,—The season has now approached when many Exhibitions are taking place throughout the country, and manufacturers of specialities, are requested to exhibit some of their latest goods. A great deal is usually promised by the person applying as to the care that will be exercised in showing the articles, and returning same, but my experience is a sorry one, for if the goods have been fairly handled (I say nothing of soiling), the repacking is simply vile, possibly left to some person who never packed a box in their lives. Polished goods sent in tissue paper will be returned bare, a burnisher tumbling about with mahogany cameras, and such like idiotcy. Perhaps others have experienced the same kind of thing, and, like myself, almost vow not to exhibit again. If secretaries of societies and others, desire to show the goods of manufacturers, and there is constantly an incentive on both sides to be up to date, the least that can be done in common justice to the exhibitor, is to see personally that goods are properly and sensibly packed, so that no loss or quibble arises in a mutual arrangement.—Yours truly, WILLIAM TYLAR.

57, High Street, Aston, Birmingham.

——:o:——

Notes and Queries.

Geo. Andrews writes: "Some time ago at a lecture, I heard the assertion made that a photograph could be taken without a lens. Is this possible, and if so, what kind of apparatus or camera is required? I know very little of photography, only having just taken it up through reading your descriptions of different hand cameras, and eventually purchased——, which I like very well. *Answer.*—Yes, a photograph can be taken without a lens, by making a pin-hole in a piece of cardboard, and placing it on a camera, where the lens usually is. The distance of the sensitive plate from the lens, is of no consequence as regards sharpness, but the size of the picture is determined by the distance between them. A long exposure must be given.

Jet asks "What is the use of a lime moving up and down, in addition to being turned round by the thumb screw at back of limelight jet? *Reply.*—By the time the lime was turned completely round, the same spot would be presented to the stream of gas. This portion having been previously acted upon by the gas, would be pitted, and perhaps cause the flame to be deflected towards the condenser, and thus cause it to crack. By the lime rising at the same time it is being turned, the same spot cannot be submitted twice to the action of the gas; that is of course presuming that the thumb screw is always turned in the same direction.

R. B.—Soft limes for blow through, and hard limes for mixed jet.

J. Benjamen.—Hang a coloured or fancy cloth around your lantern stand, and you can get as much "finish" as you like. We do not understand your difficulty.

Arthur Broadwood writes: "I have an achromatic object glass, it is composed of two lenses which are stuck together with some kind of transparent glue, the lens has one flat side, and one rounded side. What is the shape of these glasses, and of what sort of glass are they made?" *Answer.*—The lens as a whole would be termed plano-convex, and composed of a double convex lens of crown glass, cemented by means of Canada Balsam, to a plano-concave lens, of flint glass.

C.—We do not understand what you mean by "lantern flaps," possibly you may mean the doors, if so, cannot you see the light through a piece of coloured glass?

Gas writes: "Can you oblige me through notes and queries column, by saying whether in a blow-through jet, pure hydrogen gives a better light than house gas, and if the difference is worth while the trouble in making?" *Answer.*—Pure hydrogen gives perhaps a little better light, but we question whether it is worth the trouble, especially if you have house gas at command.

Mixed in a Fix says: "I have always understood that a better light could be obtained with a mixed jet, than with a blow-through. I have been used to the latter, and have just bought a mixed jet from ——, but I cannot get so good a light as I had before." *Reply.*—In the hands of an experienced person, the mixed gives better light. Very few people, when using the mixed jet for the first time, manage to get the best light obtainable for the jet. A jet is an article that must be understood and humored according to wants. A person of experience can nearly always get a better light, from a particular mixed jet, that he is used to, than from a strange one. Patience and practice will soon put you right.

Reader.—We have read the first number, but would rather not express an opinion.

Jos. Tyson, Jun.—Try the effect of slightly unscrewing (and thus separating) the two lenses, of which the condenser is composed.

Subscriber writes: "On page xvii. of your advertisement pages, of the October Journal, there is an advertisement of an American firm with a large triple lantern. I observe from it that the maker places the condensers outside of the lantern, instead of inside, as in this country. Can you tell me why it is so?" *Answer.*—We presume it is mainly to enable the body of lantern to be made smaller than would have been the case if the wooden body had been carried to outside of condenser.

Enquirers re "Practical Hints," mentioned by Mr. D. W. Noakes, can obtain a copy free, from Messrs. D. W. Noakes & Son, of Greenwich.

H. H.—We forwarded as desired.

R. S. (Tarkastad, South Africa).—As your letter mainly refered to the transparent screen, spoken of in Mr. Chadwick's article in August number, we forwarded it to that gentleman, who has sent particulars (See page 146). The lamp you speak of is good.

Amo.—1, Dead black varnish may be made with gas or vegetable black, and French polish. 2, From the particulars you send, we think that there must be a leak near the chamber of the jet, and the hissing may arise from a slight obstruction in the jet. Make sure that the collar is screwed down tight. 3, The clicking noise in regulator is not unusual.

T. W. S.—We would advise that you try the oil lantern, before purchasing it.

One in doubt asks, how he can ascertain whether a cylinder contains oxygen or hydrogen? *Answer.*—In the absence of special apparatus, used for this purpose, fill a bladder from the cylinder, attach a piece of metal, squeeze, and apply a light. If the gas burns with a flame, it is hydrogen. If it greatly increases the intensity of the applied flame, it is oxygen.

Inquirer.—We cannot recommend any particular maker of limes. See our advertising column.

Would be Lecturer.—We do not know where you can obtain slides re "Time and Timekeepers," "Gems and precious stones," and "History of Silversmithing."

Cylinder.—Cylinders can be sent to you in India, and can be shipped by Townsend Bros., 101, Leadenhall Street, E.C.

Enquirer (Abroad).—Particulars will be found in this issue.

Albo-Carbon.—Not for a disc the size you mention. Try a hot air saturator.

GOLD MEDAL and HIGHEST Awards wherever Exhibited.

Catalogue Gratis. Post Free.



J. H. STEWARD'S
OPTICAL LANTERNS

Are Fitted with the Best Lenses, and all the latest practical improvements.

LIMELIGHT SINGLE, BI-UNIAL AND TRIPLE LANTERNS.

Oil Light (3 & 4-wick Lanterns of Superior make **from £2 2/- to £5 10/-**

REGULATORS, GAS CYLINDERS,
New Carriers and Accessories.

IMPROVED PROJECTION MICROSCOPES.

406, STRAND, 456, WEST STRAND, 54, CORNHILL, LONDON.
LANTERN SLIDES ON SALE OR HIRE.

SLIDE PAINTING COLOURS,
SPECIALLY PREPARED for PAINTING MAGIC LANTERN SLIDES

In Collapsible Tubes and Glass Pots.

Boxes fitted with Varnish Colours, 5/-, 10/6, 15/-, and 30/- each.
" " **Water** " **2/-, 5/-, and 21/- each.**

Just Published, "A Manual on Painting on Glass and How to Use the Magic Lantern," 1s. each.

Also Manufacturers of the New Chromo Printed Magic Lantern Slides
5s. per Set of 12 Slides, 3¼ in. Square. 80 Subjects,
Price Lists Post Free.

J. BARNARD & SON,
MANUFACTURING ARTISTS' COLOURMEN
RETAIL, WHOLESALE AND EXPORT.
19, BERNERS STREET, LONDON, W.

Beards' COMPRESSED GAS REGULATOR



Medal awarded, Sept. 1891, *Royal Cornwall Polytechnic Exhibition.*

Eclipse Single Lantern Slide Carrier
HIGHLY COMMENDED.

"Pringle Beard" Miniature Telescopic Lantern.

Fitted with special helioscopic jacket focussing. Skewed gearing for lime turning off jet. Packs into polished mahogany case; outside sizes, 8½in. by 6½in. by 7½in. high.

To be had at any Opticians.

R. R. BEARD,
62 Alscot Road, Bermondsey, London, S.E.

WRAY'S LANTERN LENSES.

PRICES WITH RACK AND PINION.	£	s.	d.
6 inch equivalent focus aperture nearly f/8	4	10	0
9 inch " aperture fully f/4	5	10	0
6 inch and 9 inch lenses both fitting one rack jacket ..	9	10	0

10 % Discount for Cash with Order.
List of Photographic Lenses free.
ILLUSTRATED CATALOGUE OF TELESCOPES AND MICROSCOPES FOR STAMP.

W. WRAY,
OPTICIAN,
NORTH HILL, HIGHGATE, LONDON, N.



W. TYLAR'S

REFLECTING HAND LANTERNESCOPE,

For viewing Lantern Slides.

PRICE .. .. .. 12s. 6d.

Of all Dealers; or free by post, 13s., from

W. TYLAR, 57, HIGH ST., ASTON.

BIRMINGHAM.

Square Cr. 8vo, cloth.

68 ILLUSTRATIONS, 3s. 6d.

THE

OPTICS OF PHOTOGRAPHY

AND

PHOTOGRAPHIC LENSES,

BY

J. TRAILL TAYLOR.

"One interested in the subject cannot invest 3s. 6d. to greater advantage than by procuring a copy of this work."—*Optical Magic Lantern Journal.*

"An excellent guide, of great practical use."—*Nature.*

"Even a beginner may, with a little attention, soon grasp all the saliant points of the subject, of which it need scarcely be said Mr. Traill Taylor ie a master."—*English Mechanic.*

London:

WHITTAKER & Co., Paternoster Square.

SHEW'S UNIVERSAL HAND CAMERA.

AS SHOWN AT THE CONVENTION OF 1891.

This Camera has been constructed for the purpose of enabling the operator to use Glass Plates, cut films, or the continuous rolls of films at will, back being so made that Double Backs for glass or for film or roll-holders are interchangeable in one fitting. It has rising and sliding front and good range of focus for different lenses.

The quarter-plate size, fitted with Eclipse Lens and Instantaneous Shutter patent three Double Backs for Glass Plates or four for cut films, Foccusing Screen and Eclipse Finder, Complete, £6 10s.

Or fitted with Eastman Roll-holder for 48 Exposures instead of Double Backs. Complete £7 5s.



The half-plate size complete with fittings as in the quarter-plate £8 10s.

Or fitted with Roll-holder for 48 exposures £9 5s.

The quarter-plate (for pictures 4¼ by 3¼) has a range of focus from 2½ to 7½ inches, & measures closed 7¼ by 5¾ by 5¾ inches.



The half-plate size (for pictures 6½ by 4¼) has a range of focus from 8 to 8½ inches, and measures closed 9 by 6 by 7 inches.

THE CAMERA ALONE supplied with one double back for pictures.

4¼ by 3¼, £2 17s. 6d
6½ by 4¼, £3 5s.

J. F. SHEW & CO., 87, & 88, NEWMAN STREET (Four doors from OXFORD STREET), **LONDON, W.**

S. O. LEES,

FAIRFIELD STREET, LONDON RD. CORNER, MANCHESTER.

(Late Managing Partner of The Gas Compression Co.)

Maker of Compressed Oxygen, Coal Gas, Hydrogen, and other Compressed and Liquefied Gasses. Steel Cylinders, improved valves, easy to open and close.

All Kinds of Brass and Metal Fittings, Gauges, Regulators, &c.

Improved Gas Compressors and Test Pumps to any pressure.

METALLIC BELLOWS REGULATOR.



Scotch & Irish Oxygen Co.'s Copyright Catalogue.

(Brier's Patent

FOR COMPRESSED

GASES

To be obtained from all Opticians.

Manufactured by the SCOTCH & IRISH OXYGEN COMPANY, LIMITED, POLMADIE, GLASGOW.

Printed by BRIGGINSHAW & Co., 2, Aldersgate Buildings, E.C., and Published by the Proprietors, TAYLOR BROS., 56, Chancery Lane, W.C.

Digitized by the Magic Lantern Society

The Magic Lantern Society

http://www.magiclantern.org.uk/

Post-production coordinated by

MEDIA HISTORY DIGITAL LIBRARY

www.mediahistoryproject.org

Sponsored by the ACLS Digital Extension Grant, "Globalizing and Enhancing the Media History Digital Library" (2020-2021)